


RECTANGULAR TUBES



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 291422 | 25 | 19 | 2.00 | 0.432 | 1.550-1.600 |
| 02. | 291007 | 35 | 18 | 1.90 | 0.504 | 1.840-2.200 |
| 03. | 291008 | 35 | 22 | 0.46 | 0.150 | 0.500-0.600 |
| 04. | 290910 | 33 | 25 | 0.80 | 0.232 | 0.850-0.950 |
| 05. | 291009 | 38 | 25 | 0.45 | 0.164 | 0.600-0.700 |
| 06. | 291010 | 38 | 25 | 0.60 | 0.205 | 0.700-0.800 |
| 07. | 291011 | 38 | 25 | 0.75 | 0.246 | 0.900-1.000 |
| 08. | 291012 | 38 | 25 | 0.90 | 0.286 | 1.050-1.200 |
| 09. | 291013 | 38 | 25 | 1.00 | 0.327 | 1.200-1.350 |
| 10. | 291014 | 38 | 25 | 1.25 | 0.368 | 1.350-1.500 |
| 11. | 291015 | 38 | 25 | 1.35 | 0.409 | 1.500-1.750 |
| 12. | 291016 | 38 | 25 | 1.55 | 0.478 | 1.750-2.000 |
| 13. | 291017 | 38 | 25 | 1.75 | 0.546 | 2.000-2.300 |
| 14. | 291020 | 40 | 20 | 1.80 | 0.548 | 1.900-2.100 |
| 15. | 291106 | 45 | 22 | 0.48 | 0.170 | 0.600-0.700 |
| 16. | 291107 | 50 | 25 | 0.50 | 0.200 | 0.700-0.800 |
| 17. | 291108 | 50 | 25 | 0.58 | 0.230 | 0.800-0.900 |
| 18. | 291109 | 50 | 25 | 0.60 | 0.245 | 0.900-1.000 |
| 19. | 291110 | 50 | 25 | 0.75 | 0.273 | 1.000-1.200 |
| 20. | 291111 | 50 | 25 | 0.90 | 0.355 | 1.200-1.350 |
| 21. | 291112 | 50 | 25 | 1.00 | 0.368 | 1.350-1.500 |
| 22. | 291113 | 50 | 25 | 1.25 | 0.409 | 1.500-1.750 |
| 23. | 291114 | 50 | 25 | 1.35 | 0.478 | 1.750-2.000 |
| 24. | 291115 | 50 | 25 | 1.50 | 0.546 | 2.000-2.300 |
| 25. | 291116 | 50 | 25 | 1.92 | 0.741 | 2.700-3.000 |
| 26. | 291117 | 50 | 25 | 2.85 | 1.066 | 3.900-4.200 |
| 27. | 291210 | 63 | 25 | 0.85 | 0.355 | 1.100-1.300 |
| 28. | 291211 | 63 | 25 | 1.00 | 0.409 | 1.500-1.700 |
| 29. | 291308 | 55 | 35 | 0.55 | 0.264 | 0.900-1.100 |
| 30. | 291309 | 60 | 35 | 0.55 | 0.328 | 1.200-1.400 |
| 31. | 291310 | 63 | 38 | 0.55 | 0.341 | 1.250-1.400 |
| 32. | 291311 | 63 | 38 | 0.70 | 0.382 | 1.400-1.550 |
| 33. | 291312 | 63 | 38 | 0.85 | 0.423 | 1.550-1.750 |
| 34. | 291313 | 63 | 38 | 0.95 | 0.508 | 1.750-2.000 |
| 35. | 291314 | 63 | 38 | 1.15 | 0.546 | 2.000-2.300 |

 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

RECTANGULAR TUBES


| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 35. | 291315 | 63 | 38 | 1.30 | 0.628 | 2.300-2.600 |
| 36. | 291316 | 63 | 38 | 1.45 | 0.710 | 2.600-3.000 |
| 37. | 291317 | 63 | 38 | 1.97 | 1.033 | 3.700-4.000 |
| 38. | 291318 | 63 | 38 | 2.70 | 1.394 | 5.000-5.300 |
| 39. | 291325 | 70 | 20 | 2.00 | 0.928 | 3.200-3.500 |
| 40. | 291416 | 75 | 12 | 2.10 | 0.940 | 3.400-3.700 |
| 41. | 291415 | 75 | 18 | 2.00 | 0.961 | 3.500-3.700 |
| 42. | 291410 | 75 | 25 | 0.75 | 0.478 | 1.750-2.000 |
| 43. | 291411 | 75 | 25 | 0.90 | 0.546 | 2.000-2.300 |
| 44. | 291412 | 75 | 25 | 2.00 | 1.000 | 3.700-3.900 |
| 45. | 291419 | 75 | 50 | 4.00 | 2.518 | 9.000-9.600 |
| 46. | 291413 | 80 | 50 | 2.00 | 1.380 | 5.000-5.500 |
| 47. | 291414 | 80 | 50 | 3.00 | 1.960 | 7.200-7.800 |
| 48. | 291510 | 100 | 25 | 1.10 | 0.601 | 2.200-2.400 |
| 49. | 291511 | 100 | 25 | 1.15 | 0.655 | 2.400-2.700 |
| 50. | 291512 | 100 | 25 | 1.30 | 0.737 | 2.700-3.000 |
| 51. | 291610 | 100 | 44 | 1.30 | 1.229 | 4.500-5.000 |
| 52. | 291611 | 100 | 50 | 1.95 | 1.540 | 5.640-7.640 |
| 53. | 291420 | 100 | 50 | 4.00 | 3.058 | 10.90-11.60 |
| 54. | 291417 | 150 | 25 | 2.00 | 1.846 | 6.700-7.200 |
| 55. | 291418 | 150 | 50 | 2.00 | 2.116 | 7.600-8.200 |
| 56. | 291421 | 200 | 50 | 2.50 | 3.310 | 12.05-12.65 |
| 57. | | | | | | |


 **PREMIUM PROFILES**

 WEIGHT TOLERANCE \pm 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

L TUBE


| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|---------------|--------|--------|--------|-------------------|-----------------|
| 01. | 381008 | 38 | 25 | 0.70 | 0.233 | 1.000-1.125 |
| 02. | 381009 | 38 | 25 | 0.80 | 0.265 | 1.125-1.300 |
| 03. | 381010 | 38 | 25 | 0.92 | 0.304 | 1.300-1.600 |
| 04. | 381011 | 38 | 25 | 1.13 | 0.370 | 1.600-1.900 |
| 05. | 381012 | 38 | 25 | 1.30 | 0.424 | 1.900-2.200 |
| 06. | 381110 | 50 | 25 | 0.85 | 0.336 | 1.400-1.800 |
| 07. | 381111 | 50 | 25 | 1.08 | 0.425 | 1.800-2.200 |
| 08. | 381209 | 50 | 38 | 0.72 | 0.340 | 1.500-1.600 |
| 09. | 381210 | 50 | 38 | 0.80 | 0.373 | 1.700-2.100 |
| | | | | | | |
| | | | | | | |



PREMIUM PROFILES


 WEIGHT TOLERANCE \pm 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

SQUARE TUBE



| Sr. No. | Profile Code | A (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|---------------|--------|--------|-------------------|-----------------|
| 01. | 310911 | 12.00 | 1.20 | 0.140 | 0.450-0.600 |
| 02. | 311009 | 19.00 | 1.32 | 0.130 | 0.450-0.650 |
| 03. | 311010 | 19.00 | 1.65 | 0.187 | 0.650-0.850 |
| 04. | 311011 | 19.00 | 1.95 | 0.237 | 0.850-1.000 |
| 05. | 311012 | 19.00 | 2.87 | 0.378 | 1.300-1.500 |
| 06. | 311110 | 23.00 | 0.65 | 0.160 | 0.450-0.600 |
| 07. | 311111 | 23.00 | 0.70 | 0.168 | 0.600-0.750 |
| 08. | 311112 | 23.00 | 0.90 | 0.215 | 0.750-0.900 |
| 09. | 311113 | 23.00 | 1.15 | 0.271 | 0.900-1.050 |
| 10. | 311210 | 25.00 | 1.00 | 0.260 | 0.900-1.050 |
| 11. | 311211 | 25.00 | 1.15 | 0.300 | 1.050-1.200 |
| 12. | 311212 | 25.00 | 1.30 | 0.333 | 1.200-1.400 |
| 13. | 311213 | 25.00 | 1.52 | 0.385 | 1.400-1.700 |
| 14. | 311214 | 25.00 | 1.87 | 0.470 | 1.700-2.000 |
| 15. | 311215 | 25.00 | 2.30 | 0.563 | 2.000-2.400 |
| 16. | 311216 | 25.00 | 2.80 | 0.671 | 2.400-2.700 |
| 17. | 311217 | 35.00 | 2.00 | 0.712 | 2.500-2.700 |
| 18. | 311410 | 38.00 | 1.00 | 0.400 | 1.400-1.600 |
| 19. | 311411 | 38.00 | 1.13 | 0.450 | 1.600-2.000 |
| 20. | 311412 | 38.00 | 1.42 | 0.560 | 2.000-2.400 |
| 21. | 311413 | 38.00 | 1.70 | 0.666 | 2.400-2.700 |
| 22. | 311310 | 50.00 | 1.30 | 0.684 | 2.400-2.700 |
| 23. | 311311 | 50.00 | 1.42 | 0.745 | 2.700-3.000 |
| 24. | 311312 | 50.00 | 1.60 | 0.840 | 3.000-3.500 |
| 25. | 311313 | 50.00 | 1.90 | 0.987 | 3.500-4.000 |
| 26. | 311314 | 50.00 | 2.15 | 1.111 | 4.000-4.500 |
| 27. | 311315 | 50.00 | 2.40 | 1.233 | 4.500-5.000 |
| 28. | 311317 | 50.00 | 3.00 | 1.500 | 5.500-6.700 |
| 29. | 311719 | 60.00 | 4.00 | 2.419 | 8.550 - 9.150 |
| 30. | 311414 | 64.00 | 4.00 | 2.600 | 9.300-9.800 |
| 31. | 311514 | 70.00 | 4.00 | 2.851 | 10.300-10.800 |
| 32. | 311614 | 75.00 | 3.00 | 2.330 | 8.500-10.000 |
| 33. | 311714 | 87.00 | 4.00 | 3.585 | 13.000-13.500 |
| 34. | 311715 | 100.0 | 2.00 | 2.116 | 7.700-8.000 |
| 35. | 311716 | 100.0 | 3.00 | 3.142 | 11.450-11.700 |
| 36. | 311717 | 150.0 | 3.00 | 4.762 | 17.350-17.800 |
| 37. | 311718 | 200.0 | 3.00 | 6.382 | 23.250-23.600 |

PREMIUM PROFILES

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


EXTRUDED ALUMINIUM PROFILE OTHER THEN HOLLOW

A - CHANNEL




| Sr.No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight/12' (KG) |
|--------|--------------|--------|--------|--------|-----------------|
| 01. | 392010 | 23.3 | 40 | 0.65 | 0.800-1.000 |

C - CHANNEL




| Sr.No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight/12' (KG) |
|--------|--------------|--------|--------|--------|-----------------|
| 01. | 397010 | 23 | 24 | 1.00 | 0.700-850 |

F - CHANNEL



| Sr.No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight/12' (KG) |
|--------|--------------|--------|--------|--------|-----------------|
| 01. | 394009 | 15 | 25 | 0.85 | 0.400-0.500 |
| 02. | 394010 | 15 | 25 | 1.00 | 0.500-0.600 |

G - CHANNEL



| Sr.No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight/12' (KG) |
|--------|--------------|--------|--------|--------|-----------------|
| 01. | 391010 | 40 | 40 | 1.80 | 2.100-2.300 |
| 02. | 391011 | 40 | 40 | 2.00 | 2.300-2.500 |

 **PREMIUM PROFILES**



WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


EXTRUDED ALUMINIUM PROFILE OTHER THEN HOLLOW


Y - CHANNEL

H - CHANNEL

| Sr.No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight/12' (KG) | Sr.No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight/12' (KG) |
|--------|--------------|--------|--------|--------|-----------------|--------|--------------|--------|--------|--------|-----------------|
| 01. | 395009 | 10 | 30 | 0.85 | 0.400-0.500 | 01. | 396010 | 10 | 30 | 0.80 | 0.500-0.600 |
| 02. | 395010 | 10 | 30 | 1.00 | 0.500-0.600 | | | | | | |

U - CHANNEL


| Sr.No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight/12' (KG) |
|--------|--------------|--------|--------|--------|-----------------|
| 01. | 393040 | 09 | 09 | 1.00 | 0.180-0.250 |
| 02. | 393030 | 12 | 09 | 1.00 | 0.350-0.500 |
| 03. | 393050 | 12 | 12 | 0.72 | 0.250-0.300 |
| 04. | 393010 | 23 | 18 | 1.00 | 0.500-0.650 |
| 05. | 393020 | 32 | 16 | 1.00 | 0.750-0.900 |
| 06. | 393041 | 22 | 75 | 3.00 | 4.900-5.200 |
| 07. | 393042 | 67 | 53 | 2.50 | 4.200-4.500 |
| 08. | 393043 | 22 | 18.5 | 1.00 | 0.530-0.600 |
| 09. | 393044 | 101.6 | 50.8 | 6.35 | 11.950-12.00 |


DGC

| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 281010 | 19 | 9.50 | 0.60 | 0.270 | 0.250-0.350 |
| 02. | 281011 | 19 | 9.50 | 1.00 | 0.111 | 0.350-0.450 |
| 03. | 281110 | 22 | 11.0 | 0.70 | 0.100 | 0.350-0.450 |
| 04. | 281111 | 22 | 11.0 | 0.95 | 0.134 | 0.450-0.550 |
| 05. | 281210 | 25 | 12.0 | 0.55 | 0.088 | 0.250-0.350 |
| 06. | 281211 | 25 | 12.0 | 0.65 | 0.104 | 0.350-0.450 |
| 07. | 281212 | 25 | 12.0 | 0.80 | 0.130 | 0.450-0.550 |
| 08. | 281213 | 25 | 12.0 | 1.10 | 0.171 | 0.550-0.650 |
| 09. | 281214 | 25 | 12.0 | 1.18 | 0.183 | 0.650-0.750 |
| 10. | 281215 | 25 | 12.0 | 1.42 | 0.220 | 0.750-0.850 |
| 11. | 281310 | 32 | 12.0 | 0.70 | 0.124 | 0.450-0.550 |
| 12. | 281311 | 32 | 12.0 | 0.85 | 0.150 | 0.550-0.650 |
| 13. | 281410 | 38 | 15.0 | 0.80 | 0.174 | 0.550-0.650 |
| 14. | 281411 | 38 | 15.0 | 0.90 | 0.195 | 0.650-0.750 |


 **PREMIUM PROFILES**

 WEIGHT TOLERANCE \pm 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

EQUAL ANGLE



| Sr.No. | Profile Code | A (mm) | A (mm) | T (mm) | Weight/12' (KG) |
|--------|--------------|--------|--------|--------|-----------------|
| 01. | 320810 | 12 | 12 | 1.61 | 0.350-0.450 |
| 02. | 320910 | 19 | 19 | 1.25 | 0.450-0.550 |
| 03. | 321416 | 19 | 19 | 2.00 | 0.650-0.850 |
| 04. | 321009 | 19 | 19 | 2.17 | 0.750-0.900 |
| 05. | 321010 | 19 | 19 | 2.80 | 0.900-1.000 |
| 06. | 321110 | 25 | 25 | 0.80 | 0.300-0.450 |
| 07. | 321111 | 25 | 25 | 1.00 | 0.450-0.600 |
| 08. | 321112 | 25 | 25 | 1.30 | 0.600-0.800 |
| 09. | 321113 | 25 | 25 | 1.80 | 0.800-1.000 |
| 10. | 321114 | 25 | 25 | 2.15 | 1.000-1.200 |
| 11. | 321130 | 32 | 32 | 5.00 | 2.850-3.000 |
| 12. | 321310 | 38 | 38 | 2.80 | 2.000-2.300 |
| 13. | 321410 | 50 | 50 | 3.00 | 2.800-3.000 |
| 14. | 321415 | 50 | 50 | 6.00 | 5.500-5.850 |
| 15. | 321411 | 50.8 | 50.8 | 4.78 | 4.500-4.750 |
| 16. | 321414 | 60 | 60 | 2.00 | 2.300-2.500 |
| 17. | 321417 | 75 | 75 | 6.00 | 8.450-8.700 |

UNEQUAL ANGLE


| Sr.No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight/12' (KG) |
|--------|--------------|--------|--------|--------|-----------------|
| 01. | 321209 | 38 | 18 | 2.00 | 1.000-1.150 |
| 02. | 321210 | 38 | 25 | 2.20 | 1.300-1.500 |
| 03. | 321211 | 38 | 25 | 2.55 | 1.500-1.700 |
| 04. | 321212 | 38 | 25 | 3.00 | 1.700-1.900 |
| 05. | 321213 | 38 | 25 | 3.30 | 1.900-2.100 |
| 06. | 363040 | 80 | 20 | 6.00 | 5.550-5.650 |

PLANE TEE


| Sr.No. | Profile Code | A (mm) | B (mm) | Weight/12' (KG) |
|--------|--------------|--------|--------|-----------------|
| 01. | 371010 | 19 | 19 | 0.300-0.500 |
| 02. | 371011 | 19 | 19 | 0.500-0.650 |
| 03. | 371110 | 25 | 25 | 0.450-0.600 |
| 04. | 371111 | 25 | 25 | 0.600-0.800 |
| 05. | 371210 | 38 | 25 | 0.600-0.800 |
| 06. | 371211 | 38 | 25 | 0.800-1.000 |
| 07. | 371213 | 38 | 25 | 1.000-1.200 |
| 08. | 371214 | 38 | 38 | 1.400-1.700 |

BULB TEE


| Sr.No. | Profile Code | A (mm) | B (mm) | Weight/12' (KG) |
|--------|--------------|--------|--------|-----------------|
| 01. | 372011 | 25 | 25 | 0.450-0.500 |
| 02. | 372110 | 38 | 25 | 0.700-0.800 |
| 03. | 372111 | 38 | 25 | 0.800-1.000 |


 **PREMIUM PROFILES**

 WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

ROUND TUBES


| Sr. No. | Profile Code | Ø - OD (mm) | Ø - ID (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|-------------|-------------|--------|-------------------|-----------------|
| 01. | 300610 | 6.0 | 4.00 | 1.00 | 0.042 | 0.150-0.200 |
| 02. | 300710 | 8.0 | 6.00 | 1.00 | 0.059 | 0.200-0.250 |
| 03. | 300711 | 8.0 | 5.00 | 1.50 | 0.083 | 0.280-0.330 |
| 04. | 300713 | 8.0 | 3.50 | 2.50 | 0.127 | 0.464-0.480 |
| 05. | 300810 | 9.5 | 6.50 | 1.50 | 0.102 | 0.350-0.400 |
| 06. | 302033 | 12 | 8.0 | 2.0 | 0.170 | 0.570-0.720 |
| 07. | 300910 | 12.0 | 10.2 | 0.90 | 0.084 | 0.300-0.350 |
| 08. | 300911 | 12.5 | 9.80 | 1.35 | 0.127 | 0.400-0.450 |
| 09. | 300912 | 12.7 | 7.60 | 2.55 | 0.220 | 0.800-0.850 |
| 10. | 302030 | 15.0 | 12.0 | 1.50 | 0.171 | 0.620-0.720 |
| 11. | 302034 | 15.88 | 13.68 | 1.10 | 0.137 | 0.450-0.600 |
| 12. | 302031 | 16.0 | 10.0 | 3.00 | 0.331 | 1.210-1.310 |
| 13. | 302032 | 16.0 | 11.0 | 2.00 | 0.238 | 0.840-0.930 |
| 14. | 302050 | 17.9 | 15.1 | 1.40 | 0.196 | 0.680-0.760 |
| 15. | 301010 | 19.0 | 17.5 | 0.75 | 0.123 | 0.450-0.500 |
| 16. | 301011 | 19.0 | 17.0 | 1.00 | 0.164 | 0.550-0.600 |
| 17. | 301012 | 19.0 | 16.6 | 1.20 | 0.181 | 0.650-0.700 |
| 18. | 301013 | 19.0 | 16.2 | 1.40 | 0.209 | 0.700-0.750 |
| 19. | 301014 | 19.0 | 15.8 | 1.60 | 0.236 | 0.750-0.800 |
| 20. | 301015 | 19.0 | 15.4 | 1.80 | 0.262 | 0.800-0.900 |
| 21. | 301016 | 19.0 | 15.3 | 1.85 | 0.270 | 0.900-1.000 |
| 22. | 302032 | 21.0 | 18.0 | 1.50 | 0.248 | 0.900-1.000 |
| 23. | 301810 | 22.0 | 20.4 | 0.80 | 0.144 | 0.500-0.600 |
| 24. | 301811 | 22.0 | 19.0 | 1.50 | 0.261 | 0.900-1.000 |
| 25. | 301107 | 24.0 | 22.6 | 0.70 | 0.138 | 0.500-0.600 |
| 26. | 301108 | 25.0 | 23.3 | 0.85 | 0.174 | 0.600-0.700 |
| 27. | 301109 | 25.0 | 23.0 | 1.00 | 0.203 | 0.700-0.750 |
| 28. | 301110 | 25.0 | 22.6 | 1.20 | 0.242 | 0.800-0.900 |
| 29. | 301111 | 25.0 | 22.3 | 1.35 | 0.271 | 0.900-1.000 |
| 30. | 301112 | 25.0 | 21.7 | 1.65 | 0.330 | 1.000-1.250 |
| 31. | 301113 | 25.0 | 21.5 | 1.75 | 0.345 | 1.250-1.500 |
| 32. | 301114 | 25.0 | 22.4 | 2.30 | 0.443 | 1.500-1.750 |

 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

ROUND TUBES



| Sr. No. | Profile Code | Ø - OD (mm) | Ø - ID (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|-------------|-------------|--------|-------------------|-----------------|
| 33. | 301115 | 25.0 | 19.6 | 2.70 | 0.510 | 1.750-2.000 |
| 34. | 302054 | 25.0 | 13.2 | 5.90 | 0.955 | 3.450-3.700 |
| 35. | 301410 | 30.0 | 26.0 | 2.00 | 0.475 | 1.700-1.900 |
| 36. | 302035 | 30.0 | 24.0 | 3.00 | 0.687 | 2.480-2.600 |
| 37. | 301309 | 31.5 | 29.6 | 0.95 | 0.246 | 0.800-1.000 |
| 38. | 301310 | 31.5 | 28.5 | 1.50 | 0.380 | 1.400-1.900 |
| 39. | 302052 | 32.0 | 25.7 | 3.15 | 0.770 | 2.770-2.900 |
| 40. | 302056 | 35.0 | 32.0 | 1.50 | 0.426 | 1.500-1.750 |
| 41. | 301510 | 35.0 | 31.0 | 2.00 | 0.559 | 2.000-2.200 |
| 42. | 301210 | 38.0 | 36.3 | 0.85 | 0.270 | 0.900-1.100 |
| 43. | 302036 | 38.0 | 34.8 | 1.60 | 0.493 | 1.770-1.900 |
| 43. | 302037 | 38.0 | 34.0 | 2.00 | 0.610 | 2.200-2.330 |
| 44. | 302053 | 38.0 | 32.0 | 3.00 | 0.770 | 2.750-2.950 |
| 45. | 301610 | 40.0 | 36.0 | 2.00 | 0.644 | 2.300-2.500 |
| 46. | 301910 | 42.0 | 38.6 | 1.70 | 0.581 | 2.000-2.200 |
| 47. | 302038 | 44.0 | 38.0 | 3.00 | 1.043 | 3.790-3.900 |
| 48. | 301710 | 45.0 | 41.0 | 2.00 | 0.730 | 2.500-2.700 |
| 49. | 302029 | 46.0 | 42.0 | 2.00 | 0.746 | 2.650-2.900 |
| 50. | 302055 | 50.0 | 47.0 | 1.50 | 0.617 | 2.200-2.500 |
| 51. | 301950 | 50.0 | 46.0 | 2.00 | 0.814 | 2.800-3.200 |
| 52. | 302049 | 50.0 | 25.0 | 12.5 | 3.976 | 14.50-14.80 |
| 53. | 301715 | 50.5 | 46.1 | 2.20 | 0.900 | 3.200-3.600 |
| 54. | 302010 | 60.0 | 54.0 | 3.00 | 1.450 | 5.200-5.400 |
| 55. | 302039 | 60.0 | 50.0 | 5.00 | 2.332 | 8.500-8.650 |
| 56. | 302011 | 63.0 | 57.0 | 3.00 | 1.527 | 5.400-5.650 |
| 57. | 302012 | 75.0 | 70.0 | 2.50 | 1.537 | 5.500-5.700 |
| 58. | 302040 | 75.0 | 71.0 | 2.00 | 1.238 | 4.500-4.650 |
| 59. | 302041 | 88.0 | 82.0 | 3.00 | 2.162 | 7.880-8.020 |
| 60. | 302013 | 100 | 95.0 | 2.50 | 2.070 | 7.450-7.576 |
| 61. | 302042 | 100 | 90.0 | 5.00 | 4.029 | 14.70-14.85 |
| 62. | 302043 | 127 | 121.0 | 3.00 | 3.115 | 11.30-11.60 |
| 63. | 302044 | 127 | 123.0 | 2.00 | 2.120 | 7.700-7.850 |

 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

ROUND TUBES



| Sr. No. | Profile Code | Ø - OD (mm) | Ø - ID (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|-------------|-------------|--------|-------------------|-----------------|
| 64. | 302045 | 150 | 145.0 | 2.50 | 3.127 | 11.35-11.60 |
| 65. | 302046 | 150 | 138.0 | 6.00 | 7.328 | 26.75-27.25 |
| 66. | 302047 | 140 | 127.0 | 6.50 | 7.360 | 26.85-27.35 |
| 67. | 302048 | 114 | 101.0 | 6.50 | 5.926 | 21.60-22.00 |

SATYA


PREMIUM PROFILES


 WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

FLUTED ROUND PIPE




| S.r No. | Profile Code | OD (mm) | ID (mm) | T (mm) | Weight/12' (KG) |
|---------|--------------|---------|---------|--------|-----------------|
| 01. | 332011 | 24 | 22.4 | 0.8 | 0.550-0.600 |
| 02. | 332010 | 25 | 22.0 | 1.5 | 1.200-1.500 |
| 03. | 335012 | 25.0 | 20.0 | 2.5 | 1.380-1.600 |
| 04. | 333010 | 50.5 | 45.85 | 1.5 | 2.700-2.950 |
| 05. | 335010 | 50.0 | 46.0 | 2.0 | 2.475-2.675 |

ROUND ROD




| S.r No. | Profile Code | A (mm) | Weight (KG/M) | Weight/12' (KG) |
|---------|--------------|--------|---------------|-----------------|
| 01. | 332000 | 11.0 | 0.256 | 0.940 |
| 02. | 332002 | 12.6 | 0.336 | 1.230 |
| 03. | 332001 | 14.0 | 0.415 | 1.520 |
| 04. | 332003 | 17.5 | 0.650 | 2.380 |
| 05. | 332009 | 32.0 | 2.171 | 7.945 |
| 06. | 332004 | 50.0 | 5.300 | 19.40 |
| 07. | 332005 | 75.0 | 11.93 | 43.66 |
| 08. | 332006 | 80.0 | 13.57 | 49.67 |
| 09. | 332007 | 90.0 | 17.18 | 62.88 |
| 10. | 332008 | 100 | 21.20 | 77.60 |

SQUARE BAR



| S.r No. | Profile Code | A (mm) | Weight (KG/M) | Weight/12' (KG) |
|---------|--------------|--------|---------------|-----------------|
| 01. | 332500 | 9.40 | 0.238 | 0.870 |
| 02. | 332504 | 12.0 | 0.390 | 1.430 |
| 03. | 332501 | 24.0 | 1.555 | 5.690 |
| 04. | 332505 | 32.0 | 2.762 | 10.10 |
| 05. | 332502 | 63.0 | 10.72 | 39.23 |
| 06. | 332503 | 75.0 | 15.18 | 55.58 |

| S.r No. | Profile Code | OD (mm) | ID (mm) | T (mm) | Weight/12' (KG) |
|---------|--------------|---------|---------|--------|-----------------|
| 01. | 354001 | 39 | 37.5 | 0.75 | 0.950-1.000 |



 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

FLAT BAR



| Sr. No. | Profile Code | A (mm) | B (mm) | Weight/12' (KG) | Sr. No. | Profile Code | A (mm) | B (mm) | Weight/12' (KG) |
|---------|---------------|------------|----------|-----------------|---------|--------------|----------|----------|-----------------|
| 01. | 331054 | 15.88±0.20 | 02±0.15 | 0.315 | 36. | 331015 | 80±0.80 | 10±0.30 | 7.910 |
| 02. | 331036 | 19±0.20 | 1.5±0.15 | 0.250 | 37. | 331034 | 80±0.80 | 12±0.30 | 9.480 |
| 03. | 331025 | 19±0.20 | 06±0.20 | 1.130 | 38. | 331058 | 100±1.00 | 3.7±0.20 | 3.652 |
| 04. | 331000 | 20±0.20 | 06±0.20 | 1.190 | 39. | 331026 | 100±1.00 | 06±0.20 | 5.930 |
| 05. | 331001 | 20±0.20 | 10±0.30 | 1.980 | 40. | 331056 | 100±1.00 | 08±0.20 | 7.900 |
| 06. | 331002 | 25±0.25 | 03±0.20 | 0.740 | 41. | 331083 | 100±1.00 | 10±0.30 | 9.880 |
| 07. | 331003 | 25±0.25 | 06±0.20 | 1.480 | 42. | 331017 | 100±1.00 | 12±0.30 | 11.86 |
| 08. | 331050 | 25±0.25 | 08±0.30 | 1.975 | 43. | 331027 | 100±1.00 | 20±0.35 | 19.76 |
| 09. | 331004 | 25±0.25 | 10±0.30 | 2.470 | 44. | 330066 | 100±1.00 | 40±0.40 | 39.52 |
| 10. | 331005 | 25±0.25 | 12±0.30 | 2.960 | 45. | 330067 | 100±1.00 | 50±0.50 | 49.40 |
| 11. | 331021 | 30±0.30 | 06±0.20 | 1.780 | 46. | 330092 | 101±1.00 | 75±0.70 | 74.85 |
| 12. | 331006 | 30±0.30 | 10±0.30 | 2.960 | 47. | 330091 | 102±1.20 | 63±0.60 | 63.50 |
| 13. | 331051 | 30±0.30 | 12±0.30 | 3.560 | 48. | 331052 | 125±1.25 | 06±0.20 | 7.410 |
| 14. | 330095 | 40±0.25 | 02±0.15 | 0.790 | 49. | 331018 | 125±1.25 | 10±0.30 | 12.35 |
| 15. | 331007 | 40±0.40 | 06±0.20 | 2.370 | 50. | 331019 | 125±1.25 | 12±0.30 | 14.82 |
| 16. | 331057 | 40±0.40 | 08±0.20 | 3.160 | 51. | 330068 | 125±1.25 | 50±0.50 | 61.75 |
| 17. | 331008 | 40±0.40 | 10±0.30 | 3.950 | 52. | 331039 | 140±1.40 | 9.4±0.30 | 13.00 |
| 18. | 331022 | 40±0.40 | 12±0.30 | 4.740 | 53. | 330093 | 140±1.20 | 50±0.50 | 69.15 |
| 19. | 330099 | 40±0.40 | 16±0.25 | 6.320 | 54. | 330070 | 150±1.50 | 06±0.20 | 8.890 |
| 20. | 330100 | 40±0.40 | 20±0.25 | 7.900 | 55. | 330087 | 150±1.50 | 08±0.20 | 11.85 |
| 21. | 331009 | 50±0.50 | 06±0.20 | 2.960 | 56. | 331071 | 150±1.50 | 10±0.30 | 14.82 |
| 22. | 331053 | 50±0.50 | 08±0.20 | 3.950 | 57. | 331040 | 150±1.50 | 12±0.30 | 17.70 |
| 23. | 331010 | 50±0.50 | 10±0.30 | 4.940 | 58. | 330074 | 150±1.50 | 16±0.25 | 23.70 |
| 24. | 331011 | 50±0.50 | 12±0.30 | 5.930 | 59. | 330073 | 150±1.50 | 19±0.25 | 28.15 |
| 25. | 331012 | 60±0.60 | 06±0.20 | 3.560 | 60. | 330094 | 150±1.20 | 40±0.40 | 59.30 |
| 26. | 331013 | 60±0.60 | 10±0.30 | 5.930 | 61. | 330072 | 150±1.50 | 50±0.50 | 74.10 |
| 27. | 331030 | 60±0.60 | 12±0.30 | 7.120 | 62. | 330088 | 160±1.60 | 06±0.25 | 9.500 |
| 28. | 331029 | 63±0.63 | 06±0.20 | 3.740 | 63. | 330084 | 160±1.60 | 10±0.25 | 15.80 |
| 29. | 331028 | 63±0.63 | 10±0.30 | 6.230 | 64. | 330086 | 180±1.80 | 10±0.25 | 17.78 |
| 30. | 331023 | 63±0.63 | 12±0.30 | 7.470 | 65. | 330075 | 200±2.00 | 06±0.25 | 11.84 |
| 31. | 331024 | 75±0.75 | 06±0.20 | 4.450 | 66. | 330076 | 200±2.00 | 10±0.25 | 19.75 |
| 32. | 331014 | 75±0.75 | 10±0.30 | 7.410 | 67. | 330077 | 200±2.00 | 12±0.25 | 23.70 |
| 33. | 331033 | 75±0.75 | 12±0.30 | 8.900 | 68. | 330078 | 200±2.00 | 16±0.25 | 31.61 |
| 34. | 330101 | 76±0.70 | 50±0.50 | 37.60 | 69. | 330079 | 200±2.00 | 20±0.25 | 39.52 |
| 35. | 331035 | 80±0.80 | 06±0.20 | 4.740 | 70. | 330080 | 200±2.00 | 25±0.25 | 49.40 |


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

FLAT BAR


| Sr. No. | Profile Code | A (mm) | B (mm) | Weight/12' (KG) | Sr. No. | Profile Code | A (mm) | B (mm) | Weight/12' (KG) |
|---------|--------------|----------|---------|-----------------|---------|--------------|--------|--------|-----------------|
| 71. | 330085 | 210±2.00 | 12±0.25 | 24.89 | | | | | |
| 72. | 330081 | 250±2.00 | 10±0.25 | 24.70 | | | | | |
| 73. | 330082 | 250±2.00 | 12±0.25 | 29.63 | | | | | |

FLAT BAR (ROUND)


| Sr. No. | Profile Code | A (mm) | B (mm) | Weight/12' (KG) |
|---------|--------------|----------|---------|-----------------|
| 01 | 331042 | 40±0.40 | 10±0.30 | 3.740 |
| 02 | 331043 | 50±0.50 | 10±0.30 | 4.728 |
| 03 | 331044 | 60±0.60 | 10±0.30 | 5.717 |
| 04 | 331045 | 63±0.63 | 10±0.30 | 6.013 |
| 05 | 331046 | 75±0.75 | 10±0.30 | 7.199 |
| 06 | 331047 | 80±0.80 | 10±0.30 | 7.693 |
| 07 | 331048 | 100±1.00 | 10±0.30 | 9.670 |
| 08 | 331055 | 100±1.00 | 12±0.30 | 11.55 |
| 09 | 331049 | 125±1.00 | 10±0.30 | 12.14 |
| 10 | 331041 | 150±1.60 | 10±0.30 | 14.61 |
| 11 | 331038 | 160±1.60 | 10±0.30 | 15.59 |

 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

SINGLE PARTITION (SP)



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 100911 | 50 | 25 | 0.75 | 0.353 | 1.500-1.800 |
| 02. | 100909 | 60 | 35 | 0.60 | 0.353 | 1.600-1.900 |
| 03. | 101009 | 63 | 38 | 0.80 | 0.486 | 2.200-2.400 |
| 04. | 101010 | 63 | 38 | 0.90 | 0.539 | 2.400-2.700 |
| 05. | 101011 | 63 | 38 | 1.05 | 0.619 | 2.700-3.000 |
| 06. | 101012 | 63 | 38 | 1.20 | 0.656 | 3.000-3.300 |
| 07. | 101013 | 63 | 38 | 1.30 | 0.721 | 3.300-3.600 |
| 08. | 101014 | 63 | 38 | 1.40 | 0.787 | 3.600-4.000 |
| 09. | 101015 | 63 | 38 | 1.80 | 0.874 | 4.000-4.500 |
| 10. | 101016 | 63 | 38 | 2.00 | 0.983 | 4.500-5.000 |
| 11. | 101017 | 63 | 38 | 2.20 | 1.093 | 5.000-5.500 |
| 12. | 101018 | 63 | 38 | 2.40 | 1.202 | 5.500-6.100 |
| 13. | 101019 | 63 | 38 | 2.60 | 1.333 | 6.100-6.700 |
| 14. | 101020 | 63 | 38 | 2.80 | 1.464 | 6.700-7.400 |
| 15. | 101021 | 63 | 38 | 3.00 | 1.617 | 7.400-8.000 |
| 16. | 101110 | 83 | 38 | 1.30 | 0.874 | 4.000-4.500 |
| 17. | 101111 | 83 | 38 | 1.50 | 0.983 | 4.500-5.000 |
| 18. | 101112 | 83 | 38 | 1.70 | 1.093 | 5.000-5.500 |
| 19. | 101113 | 83 | 38 | 1.90 | 1.202 | 5.500-6.000 |
| 20. | 101115 | 90 | 40 | 1.00 | 0.748 | 3.350-3.600 |
| 21. | 101210 | 100 | 44 | 1.00 | 0.983 | 4.500-5.000 |
| 22. | 101211 | 100 | 44 | 1.20 | 1.093 | 5.000-5.500 |
| 23. | 101212 | 100 | 44 | 1.40 | 1.202 | 5.500-6.000 |
| 24. | 101213 | 100 | 44 | 1.60 | 1.311 | 6.000-6.500 |
| 25. | 101214 | 100 | 44 | 1.80 | 1.420 | 6.500-7.000 |
| 26. | 101215 | 100 | 44 | 2.00 | 1.530 | 7.000-7.500 |
| 27. | 101216 | 100 | 44 | 2.20 | 1.640 | 7.500-8.000 |
| 28. | 101217 | 100 | 44 | 2.40 | 1.748 | 8.000-8.600 |
| 29. | 101218 | 100 | 44 | 2.60 | 1.880 | 8.600-9.300 |
| 30. | 101219 | 100 | 44 | 2.80 | 2.032 | 9.300-10.000 |
| 31. | 101220 | 100 | 44 | 3.00 | 2.186 | 10.000-11.000 |

 **PREMIUM PROFILES**


WEIGHT TOLERANCE \pm 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

DOUBLE PARTITION (DP)



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight/Mtr. (KG) | Weight/15' (KG) |
|---------|---------------|--------|--------|--------|------------------|-----------------|
| 01. | 110911 | 50 | 25 | 0.65 | 0.366 | 1.500-1.800 |
| 02. | 111009 | 63 | 38 | 0.72 | 0.497 | 2.200-2.400 |
| 03. | 111010 | 63 | 38 | 0.80 | 0.540 | 2.400-2.700 |
| 04. | 111011 | 63 | 38 | 1.20 | 0.760 | 2.700-3.000 |
| 05. | 111012 | 63 | 38 | 1.35 | 0.841 | 3.000-3.300 |
| 06. | 111013 | 63 | 38 | 1.40 | 0.721 | 3.300-3.600 |
| 07. | 111014 | 63 | 38 | 1.60 | 0.787 | 3.600-4.000 |
| 08. | 111015 | 63 | 38 | 1.80 | 0.874 | 4.000-4.500 |
| 09. | 111016 | 63 | 38 | 2.00 | 0.983 | 4.500-5.000 |
| 10. | 111017 | 63 | 38 | 2.20 | 1.093 | 5.000-5.500 |
| 11. | 111018 | 63 | 38 | 2.40 | 1.202 | 5.500-6.100 |
| 12. | 111019 | 63 | 38 | 2.60 | 1.333 | 6.100-6.700 |
| 13. | 111020 | 63 | 38 | 2.80 | 1.464 | 6.700-7.400 |
| 14. | 111021 | 63 | 38 | 3.00 | 1.617 | 7.400-8.000 |
| 15. | 111110 | 83 | 38 | 1.30 | 0.874 | 4.000-4.500 |
| 16. | 111111 | 83 | 38 | 1.50 | 0.983 | 4.500-5.000 |
| 17. | 111112 | 83 | 38 | 1.70 | 1.093 | 5.000-5.500 |
| 18. | 111113 | 83 | 38 | 1.90 | 1.202 | 5.500-6.000 |
| 19. | 111115 | 90 | 40 | 0.98 | 0.791 | 5.500-6.000 |
| 20. | 111210 | 100 | 44 | 1.00 | 0.983 | 3.550-3.850 |
| 21. | 111211 | 100 | 44 | 1.20 | 1.093 | 5.000-5.500 |
| 22. | 111212 | 100 | 44 | 1.40 | 1.202 | 5.500-6.000 |
| 23. | 111213 | 100 | 44 | 1.60 | 1.311 | 6.000-6.500 |
| 24. | 111214 | 100 | 44 | 1.80 | 1.420 | 6.500-7.000 |
| 25. | 111215 | 100 | 44 | 2.00 | 1.530 | 7.000-7.500 |
| 26. | 111216 | 100 | 44 | 2.20 | 1.640 | 7.500-8.000 |
| 27. | 111217 | 100 | 44 | 2.40 | 1.748 | 8.000-8.600 |
| 28. | 111218 | 100 | 44 | 2.60 | 1.880 | 8.600-9.300 |
| 29. | 111219 | 100 | 44 | 2.80 | 2.032 | 9.300-10.000 |
| 30. | 111220 | 100 | 44 | 3.00 | 2.186 | 10.000-11.000 |

 **PREMIUM PROFILES**

WEIGHT TOLERANCE \pm 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

DOOR MIDDLE SINGLE (DMS)



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 121009 | 47 | 44 | 0.90 | 0.490 | 2.200-2.400 |
| 02. | 121010 | 47 | 44 | 1.00 | 0.536 | 2.400-2.700 |
| 03. | 121011 | 47 | 44 | 1.15 | 0.605 | 2.700-3.000 |
| 04. | 121012 | 47 | 44 | 1.30 | 0.655 | 3.000-3.300 |
| 05. | 121013 | 47 | 44 | 1.50 | 0.721 | 3.300-3.600 |
| 06. | 121014 | 47 | 44 | 1.70 | 0.787 | 3.600-4.000 |
| 07. | 121015 | 47 | 44 | 1.90 | 0.874 | 4.000-4.500 |
| 08. | 121016 | 47 | 44 | 2.10 | 0.983 | 4.500-5.000 |
| 09. | 121017 | 47 | 44 | 2.30 | 1.092 | 5.000-5.500 |
| 10. | 121018 | 47 | 44 | 2.50 | 1.202 | 5.500-6.000 |
| 11. | 121110 | 83 | 44 | 1.20 | 1.027 | 4.700-5.000 |
| 12. | 121111 | 83 | 44 | 1.40 | 1.092 | 5.000-5.500 |
| 13. | 121112 | 83 | 44 | 1.60 | 1.202 | 5.500-6.000 |
| 14. | 121113 | 83 | 44 | 1.80 | 1.311 | 6.000-6.500 |
| 15. | 121114 | 83 | 44 | 2.00 | 1.420 | 6.500-7.000 |
| 16. | 121115 | 83 | 44 | 2.20 | 1.530 | 7.000-7.600 |
| 17. | 121116 | 83 | 44 | 2.40 | 1.661 | 7.600-8.000 |
| 18. | 121117 | 83 | 44 | 2.60 | 1.748 | 8.000-8.500 |
| 19. | 121118 | 83 | 44 | 2.80 | 1.858 | 8.500-9.000 |
| 20. | 121119 | 83 | 44 | 3.00 | 1.967 | 9.000-9.500 |
| 21. | 121120 | 83 | 44 | 3.20 | 2.076 | 9.500-10.000 |
| 22. | 121121 | 83 | 44 | 3.40 | 2.186 | 10.000-10.500 |

 **PREMIUM PROFILES**

 WEIGHT TOLERANCE \pm 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

DOOR MIDDLE DOUBLE (DMD)



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|---------------|--------|--------|--------|-------------------|-----------------|
| 01. | 131009 | 47 | 44 | 0.83 | 0.506 | 2.200-2.400 |
| 02. | 131010 | 47 | 44 | 1.00 | 0.580 | 2.400-2.700 |
| 03. | 131011 | 47 | 44 | 1.05 | 0.590 | 2.700-3.000 |
| 04. | 131012 | 47 | 44 | 1.25 | 0.655 | 3.000-3.300 |
| 05. | 131013 | 47 | 44 | 1.45 | 0.721 | 3.300-3.600 |
| 06. | 131014 | 47 | 44 | 1.65 | 0.787 | 3.600-4.000 |
| 07. | 131015 | 47 | 44 | 1.85 | 0.874 | 4.000-4.500 |
| 08. | 131016 | 47 | 44 | 2.05 | 0.983 | 4.500-5.000 |
| 09. | 131017 | 47 | 44 | 2.25 | 1.092 | 5.000-5.500 |
| 10. | 131018 | 47 | 44 | 2.45 | 1.202 | 5.500-6.000 |
| 11. | 131209 | 47 | 44 | 0.85 | 0.513 | 2.350-2.450 |
| 12. | 131210 | 47 | 44 | 1.00 | 0.546 | 2.500-2.600 |
| 13. | 131110 | 83 | 44 | 1.15 | 1.027 | 4.700-5.000 |
| 14. | 131111 | 83 | 44 | 1.35 | 1.092 | 5.000-5.500 |
| 15. | 131112 | 83 | 44 | 1.55 | 1.202 | 5.500-6.000 |
| 16. | 131113 | 83 | 44 | 1.75 | 1.311 | 6.000-6.500 |
| 17. | 131114 | 83 | 44 | 1.95 | 1.420 | 6.500-7.000 |
| 18. | 131115 | 83 | 44 | 2.15 | 1.530 | 7.000-7.600 |
| 19. | 131116 | 83 | 44 | 2.35 | 1.661 | 7.600-8.000 |
| 20. | 131117 | 83 | 44 | 2.55 | 1.748 | 8.000-8.500 |
| 21. | 131118 | 83 | 44 | 2.75 | 1.858 | 8.500-9.000 |
| 22. | 131119 | 83 | 44 | 2.95 | 1.967 | 9.000-9.500 |
| 23. | 131120 | 83 | 44 | 3.15 | 2.076 | 9.500-10.000 |
| 24. | 131121 | 83 | 44 | 3.35 | 2.186 | 10.000-10.500 |

 **PREMIUM PROFILES**


 WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

 Address : Khasra No.480, Shimla Pistaaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

DOOR VERTICLE (DV)



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|---------------|--------|--------|--------|-------------------|-----------------|
| 01. | 141009 | 47 | 44 | 0.80 | 0.480 | 2.200-2.400 |
| 02. | 141010 | 47 | 44 | 0.95 | 0.524 | 2.400-2.700 |
| 03. | 141011 | 47 | 44 | 1.10 | 0.590 | 2.700-3.000 |
| 04. | 141012 | 47 | 44 | 1.30 | 0.656 | 3.000-3.300 |
| 05. | 141013 | 47 | 44 | 1.50 | 0.721 | 3.300-3.600 |
| 06. | 141014 | 47 | 44 | 1.70 | 0.786 | 3.600-4.000 |
| 07. | 141015 | 47 | 44 | 1.90 | 0.874 | 4.000-4.500 |
| 08. | 141016 | 47 | 44 | 2.10 | 0.983 | 4.500-5.000 |
| 09. | 141017 | 47 | 44 | 2.30 | 1.092 | 5.000-5.500 |
| 10. | 141018 | 47 | 44 | 2.50 | 1.202 | 5.500-6.100 |
| 11. | 141019 | 47 | 44 | 2.70 | 1.333 | 6.100-6.700 |
| 12. | 141110 | 83 | 44 | 1.20 | 1.027 | 4.700-5.000 |
| 13. | 141111 | 83 | 44 | 1.40 | 1.092 | 5.000-5.300 |
| 14. | 141112 | 83 | 44 | 1.60 | 1.158 | 5.300-5.700 |
| 15. | 141113 | 83 | 44 | 1.80 | 1.245 | 5.700-6.100 |
| 16. | 141114 | 83 | 44 | 2.00 | 1.333 | 6.100-6.500 |
| 17. | 141115 | 83 | 44 | 2.20 | 1.420 | 6.500-7.000 |
| 18. | 141116 | 83 | 44 | 2.40 | 1.530 | 7.000-7.500 |
| 19. | 141117 | 83 | 44 | 2.60 | 1.640 | 7.500-8.000 |
| 20. | 141118 | 83 | 44 | 2.80 | 1.748 | 8.000-8.600 |
| 21. | 141119 | 83 | 44 | 3.00 | 1.879 | 8.600-9.200 |
| 22. | 141120 | 83 | 44 | 3.20 | 2.010 | 9.200-10.00 |
| 23. | 141121 | 83 | 44 | 3.40 | 2.185 | 10.00-11.00 |


PREMIUM PROFILES


 WEIGHT TOLERANCE \pm 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

DOOR TOP / BOTTOM (DT/DB)



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|---------------|--------|--------|--------|-------------------|-----------------|
| 01. | 151009 | 47 | 44 | 0.92 | 0.513 | 2.200-2.400 |
| 02. | 151010 | 47 | 44 | 1.00 | 0.545 | 2.400-2.700 |
| 03. | 151011 | 47 | 44 | 1.15 | 0.605 | 2.700-3.000 |
| 04. | 151012 | 47 | 44 | 1.30 | 0.656 | 3.000-3.300 |
| 05. | 151013 | 47 | 44 | 1.50 | 0.721 | 3.300-3.600 |
| 06. | 151014 | 47 | 44 | 1.70 | 0.787 | 3.600-4.000 |
| 07. | 151015 | 47 | 44 | 1.90 | 0.874 | 4.000-4.500 |
| 08. | 151016 | 47 | 44 | 2.10 | 0.983 | 4.500-5.000 |
| 09. | 151017 | 47 | 44 | 2.30 | 1.092 | 5.000-5.500 |
| 10. | 151018 | 47 | 44 | 2.50 | 1.202 | 5.500-6.100 |
| 11. | 151019 | 83 | 44 | 1.15 | 0.983 | 4.500-5.000 |
| 12. | 151110 | 83 | 44 | 1.20 | 1.027 | 4.700-5.000 |
| 13. | 151111 | 83 | 44 | 1.40 | 1.092 | 5.000-5.500 |
| 14. | 151112 | 83 | 44 | 1.60 | 1.202 | 5.500-6.000 |
| 15. | 151113 | 83 | 44 | 1.80 | 1.311 | 6.000-6.500 |
| 16. | 151114 | 83 | 44 | 2.00 | 1.420 | 6.500-7.000 |
| 17. | 151115 | 83 | 44 | 2.20 | 1.530 | 7.000-7.600 |
| 18. | 151116 | 83 | 44 | 2.40 | 1.661 | 7.600-8.000 |
| 19. | 151117 | 83 | 44 | 2.60 | 1.748 | 8.000-8.500 |
| 20. | 151118 | 83 | 44 | 2.80 | 1.857 | 8.500-9.000 |
| 21. | 151119 | 83 | 44 | 3.00 | 1.967 | 9.000-9.500 |
| 22. | 151120 | 83 | 44 | 3.20 | 2.076 | 9.500-10.00 |
| 23. | 151121 | 83 | 44 | 3.40 | 2.186 | 10.00-10.50 |
| 24. | 151209 | 114 | 44 | 0.96 | 0.983 | 4.500-5.000 |
| 25. | 151210 | 114 | 44 | 1.00 | 1.049 | 4.800-5.300 |
| 26. | 151211 | 114 | 44 | 1.20 | 1.158 | 5.300-5.800 |
| 27. | 151212 | 114 | 44 | 1.40 | 1.267 | 5.800-6.400 |
| 28. | 151213 | 114 | 44 | 1.60 | 1.398 | 6.400-7.700 |
| 29. | 151214 | 114 | 44 | 1.80 | 1.683 | 7.700-8.500 |
| 30. | 151215 | 114 | 44 | 2.00 | 1.857 | 8.500-9.200 |
| 31. | 151216 | 114 | 44 | 2.20 | 2.011 | 9.200-10.00 |
| 32. | 151217 | 114 | 44 | 2.40 | 2.186 | 10.00-10.50 |

 **PREMIUM PROFILES**


 WEIGHT TOLERANCE \pm 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

DOOR TOP SINGLE LEG (DTSL)



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|---------------|--------|--------|--------|-------------------|-----------------|
| 01. | 171009 | 47 | 44 | 0.96 | 0.546 | 2.200-2.400 |
| 02. | 171010 | 47 | 44 | 0.96 | 0.546 | 2.400-2.700 |
| 03. | 171011 | 47 | 44 | 1.10 | 0.590 | 2.700-3.000 |
| 04. | 171012 | 47 | 44 | 1.30 | 0.656 | 3.000-3.300 |
| 05. | 171013 | 47 | 44 | 1.50 | 0.721 | 3.300-3.600 |
| 06. | 171014 | 47 | 44 | 1.70 | 0.787 | 3.600-4.000 |
| 07. | 171015 | 47 | 44 | 1.90 | 0.874 | 4.000-4.500 |
| 08. | 171016 | 47 | 44 | 2.10 | 0.983 | 4.500-5.000 |
| 09. | 171109 | 83 | 44 | 1.14 | 0.983 | 4.500-5.000 |
| 10. | 171110 | 83 | 44 | 1.20 | 1.049 | 4.800-5.000 |
| 11. | 171111 | 83 | 44 | 1.40 | 1.092 | 5.000-5.300 |

BADAMI



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 161009 | 63 | 38 | 1.30 | 0.765 | 3.500-4.000 |
| 02. | 161010 | 63 | 38 | 1.35 | 0.874 | 4.000-4.500 |
| 03. | 161011 | 63 | 38 | 1.50 | 0.983 | 4.500-5.000 |
| 04. | 161012 | 63 | 38 | 1.65 | 1.093 | 5.000-5.500 |
| 05. | 161013 | 63 | 38 | 1.80 | 1.202 | 5.500-6.000 |
| 06. | 161014 | 63 | 38 | 1.95 | 1.311 | 6.000-6.500 |
| 07. | 162012 | 100 | 44 | 2.80 | 2.098 | 9.600-10.20 |








 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | | |
|--|--|-------------------------------------|
|  | <p style="text-align: center;">PATAM 90x45</p>  | |
| <p style="text-align: center;">Profile Code - 162012 Weight (KG)/M - 2.45</p> | <p style="text-align: center;">Profile Code - 401010 Weight/12' (KG) - 6.000-6.500</p> | |
| <p style="text-align: center;">PATAM 112x44</p>  |  | |
| <p style="text-align: center;">Profile Code - 402010 Weight/12' (KG) - 3.500-4.000</p> | <p style="text-align: center;">Profile Code - 414530 Weight/12' (KG) - 2.300-2.800</p> | |
|  |  | |
| <p style="text-align: center;">Profile Code - 402011 Weight (KG)/M - 1.156</p> | <p style="text-align: center;">Profile Code - 402012 Weight (KG)/M - 1.886</p> | |
|  | | |
| <p style="text-align: center;">Profile Code - 414523 Weight (KG)/M - 1.820</p> | | |
| <p> PREMIUM PROFILES</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |



| Sr. No. | Profile Code | A (mm) | B(mm) | T (mm) | Weight/12' (KG) |
|---------|--------------|--------|-------|--------|-----------------|
| 01. | 414515 | 54.0 | 26.5 | 0.86 | 1.350-1.500 |
| 02. | 414520 | 63.0 | 40.0 | 0.86 | 1.700-1.900 |
| 03. | 414521 | 63.0 | 40.0 | 1.00 | 1.900-2.100 |
| 04. | 414522 | 63.0 | 40.0 | 1.10 | 2.100-2.300 |



| Sr. No. | Profile Code | A (mm) | B(mm) | T (mm) | Weight/12' (KG) |
|---------|--------------|--------|-------|--------|-----------------|
| 01. | 414525 | 59.0 | 35.5 | 0.83 | 1.450-1.600 |
| 02. | 414526 | 59.0 | 35.5 | 0.83 | 1.450-1.600 |

SATYA


PREMIUM PROFILES


 WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

HANDLE




| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 201009 | 40 | 18 | 0.57 | 0.191 | 0.700-0.750 |
| 02. | 201010 | 40 | 18 | 0.60 | 0.218 | 0.800-0.900 |
| 03. | 201011 | 40 | 18 | 0.67 | 0.245 | 0.900-1.050 |
| 04. | 201012 | 40 | 18 | 0.88 | 0.287 | 1.050-1.200 |
| 05. | 201013 | 40 | 18 | 1.00 | 0.328 | 1.200-1.400 |
| 06. | 201014 | 40 | 18 | 1.15 | 0.382 | 1.400-1.600 |
| 07. | 201015 | 40 | 18 | 1.35 | 0.437 | 1.600-1.800 |
| 08. | 201016 | 40 | 18 | 1.50 | 0.491 | 1.800-2.000 |
| 09. | 201108 | 45 | 25 | 0.70 | 0.319 | 1.350-1.400 |
| 10. | 201110 | 50 | 25 | 0.85 | 0.382 | 1.400-1.700 |
| 11. | 201111 | 50 | 25 | 1.10 | 0.464 | 1.700-1.950 |
| 12. | 201112 | 50 | 25 | 1.12 | 0.533 | 1.950-2.200 |
| 13. | 201113 | 50 | 25 | 1.16 | 0.655 | 2.400-2.600 |
| 14. | 201210 | 60 | 19 | 1.15 | 0.519 | 1.900-2.200 |
| 15. | 201310 | 75 | 32 | 1.10 | 0.737 | 2.700-2.900 |
| 16. | 201710 | 75 | 25 | 1.00 | 0.524 | 2.400-2.600 |

PLANE HANDLE



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 201410 | 62 | 32 | 1.00 | 0.574 | 1.900-2.200 |

PLANE HANDLE ROUND CORNERS



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 201610 | 38 | 18 | 2.25 | 0.663 | 3.100-3.500 |





PREMIUM PROFILES

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026



SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



| Sr. No. | Profile Code | A (mm) | B(mm) | T (mm) | Weight/12' (KG) |
|---------|--------------|--------|-------|--------|-----------------|
| 01. | 414110 | 80.0 | 25.4 | 0.95 | 2.100-2.400 |


| Sr. No. | Profile Code | A (mm) | B(mm) | T (mm) | Weight/12' (KG) |
|---------|--------------|--------|-------|--------|-----------------|
| 01. | 414215 | 50.0 | 25.4 | 0.95 | 1.500-1.700 |
| 02. | 414210 | 80.0 | 25.4 | 0.95 | 2.100-2.400 |



| Sr. No. | Profile Code | A (mm) | B(mm) | T (mm) | Weight/12' (KG) |
|---------|--------------|--------|-------|--------|-----------------|
| 01. | 414315 | 50.0 | 25.4 | 0.95 | 1.600-1.800 |
| 01. | 414310 | 80.0 | 25.4 | 0.95 | 2.200-2.500 |



| Sr. No. | Profile Code | A (mm) | B(mm) | T (mm) | Weight/12' (KG) |
|---------|--------------|--------|-------|--------|-----------------|
| 01. | 414410 | 80.0 | 25.4 | 0.95 | 2.000-2.300 |

GLASS SECTION



| Sr. No. | Profile Code | Weight/15' (KG) |
|---------|---------------|-----------------|
| 01. | 261010 Hollow | 6.500-7.000 |
| 02. | 261011 Hollow | 7.000-7.500 |
| 03. | 261012 Hollow | 7.500-8.000 |
| 04. | 261110 | 8.500-9.200 |
| 05. | 261111 | 9.200-10.00 |
| 06. | 261112 | 10.00-11.00 |

LOUVERS



Profile Code - 406010
Weight/12' (KG) - 1.300-1.600

Profile Code - 406011
Weight KG/M - 0.328

PREMIUM PROFILES


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

TOP BOTTOM



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 191009 | 40 | 18 | 0.60 | 0.191 | 0.700-0.750 |
| 02. | 191010 | 40 | 18 | 0.63 | 0.218 | 0.800-0.900 |
| 03. | 191011 | 40 | 18 | 0.67 | 0.246 | 0.900-1.050 |
| 04. | 191012 | 40 | 18 | 0.86 | 0.287 | 1.050-1.200 |
| 05. | 191013 | 40 | 18 | 0.90 | 0.327 | 1.200-1.400 |
| 06. | 191014 | 40 | 18 | 1.14 | 0.382 | 1.400-1.600 |
| 07. | 191015 | 40 | 18 | 1.30 | 0.437 | 1.600-1.800 |
| 08. | 191016 | 40 | 18 | 1.43 | 0.491 | 1.800-2.000 |
| 09. | 191107 | 45 | 25 | 0.70 | 0.347 | 1.200-1.350 |
| 10. | 191108 | 50 | 25 | 0.70 | 0.338 | 1.200-1.450 |
| 11. | 191109 | 50 | 25 | 0.86 | 0.382 | 1.400-1.700 |
| 12. | 191110 | 50 | 25 | 1.15 | 0.464 | 1.700-1.950 |
| 13. | 191111 | 50 | 25 | 1.22 | 0.546 | 2.000-2.200 |
| 14. | 191112 | 50 | 25 | 1.26 | 0.532 | 1.950-2.200 |
| 15. | 191310 | 75 | 32 | 1.10 | 0.590 | 2.160-2.300 |
| 16. | 191410 | 62 | 32 | 1.30 | 0.735 | 2.500-2.700 |
| 17. | 191710 | 75 | 25 | 0.90 | 0.550 | 2.000-2.200 |
| 18. | 191506 | 38 | 14 | 0.57 | 0.209 | 0.700-0.775 |

BEARING BOTTOM



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 191210 | 60 | 19 | 1.15 | 0.546 | 2.500-2.700 |
| 02. | 191610 | 50 | 18 | 1.13 | 0.410 | 1.500-1.700 |
| 03. | 531010 | 60 | 18 | 1.05 | 0.500 | 2.250-2.450 |

 **PREMIUM PROFILES**


 WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

MIDDLE SECTION



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|---------------|--------|--------|--------|-------------------|-----------------|
| 01. | 211009 | 40 | 18 | 0.56 | 0.191 | 0.700-0.750 |
| 02. | 211010 | 40 | 18 | 0.60 | 0.218 | 0.800-0.900 |
| 03. | 211011 | 40 | 18 | 0.66 | 0.246 | 0.900-1.050 |
| 04. | 211012 | 40 | 18 | 0.86 | 0.287 | 1.050-1.200 |
| 05. | 211013 | 40 | 18 | 0.86 | 0.327 | 1.200-1.400 |
| 06. | 211014 | 40 | 18 | 1.00 | 0.382 | 1.400-1.600 |
| 07. | 211015 | 40 | 18 | 1.20 | 0.437 | 1.600-1.800 |
| 08. | 211016 | 40 | 18 | 1.42 | 0.491 | 1.800-2.000 |
| 09. | 211108 | 45 | 25 | 0.70 | 0.337 | 1.475-1.600 |
| 10. | 211110 | 50 | 25 | 0.86 | 0.382 | 1.400-1.700 |
| 11. | 211111 | 50 | 25 | 0.95 | 0.464 | 1.700-1.950 |
| 12. | 211112 | 50 | 25 | 1.05 | 0.532 | 1.950-2.200 |
| 13. | 211113 | 50 | 25 | 1.15 | 0.546 | 2.500-2.800 |
| 14. | 211210 | 50 | 32 | 0.95 | 0.519 | 1.900-2.200 |
| 15. | 211410 | 75 | 25 | 0.90 | 0.480 | 2.200-2.400 |
| 15. | 211507 | 38 | 14 | 0.65 | 0.209 | 0.700-0.775 |
| 16. | 211510 | 80 | 18 | 1.00 | 0.480 | 2.400-2.600 |
| 17. | 532010 | 80 | 18 | 0.90 | 0.542 | 2.400-2.600 |
| 18. | 533010 | 75 | 25 | 0.90 | 0.578 | 2.600-2.800 |
| 19. | 211310 | 75 | 32 | 1.10 | 0.590 | 2.160-2.300 |

PLANE MIDDLE SECTION



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 211310 | 62 | 32 | 1.10 | 0.710 | 2.500-2.700 |

 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

TOP BOTTOM SINGLE LEG



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|---------------|--------|--------|--------|-------------------|-----------------|
| 01. | 221009 | 40 | 18 | 0.63 | 0.190 | 0.700-0.750 |
| 02. | 221010 | 40 | 18 | 0.67 | 0.220 | 0.800-0.900 |
| 03. | 221011 | 40 | 18 | 0.75 | 0.245 | 0.900-1.050 |
| 04. | 221012 | 40 | 18 | 0.96 | 0.290 | 1.050-1.200 |
| 05. | 221013 | 40 | 18 | 1.00 | 0.330 | 1.200-1.400 |
| 06. | 221014 | 40 | 18 | 1.21 | 0.380 | 1.400-1.600 |
| 07. | 221015 | 40 | 18 | 1.30 | 0.440 | 1.600-1.800 |
| 08. | 221016 | 40 | 18 | 1.55 | 0.490 | 1.800-2.000 |
| 09. | 221110 | 50 | 25 | 0.85 | 0.370 | 1.350-1.450 |
| 10. | 221111 | 50 | 25 | 0.97 | 0.460 | 1.700-1.800 |
| 11. | 221112 | 50 | 25 | 1.16 | 0.568 | 2.600-2.800 |
| 12. | 221310 | 75 | 32 | 0.97 | 0.519 | 2.150-2.450 |
| 13. | 221410 | 75 | 25 | 0.97 | 0.519 | 1.900-2.200 |
| 14. | 221508 | 38 | 14 | 0.55 | 0.147 | 0.500-0.550 |

INTERLOCK



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 231010 | 40 | 18 | 0.55 | 0.270 | 1.000-1.200 |
| 02. | 231011 | 40 | 18 | 0.70 | 0.310 | 1.200-1.400 |
| 03. | 231012 | 40 | 18 | 0.87 | 0.460 | 1.400-1.600 |
| 04. | 231013 | 40 | 18 | 0.95 | 0.440 | 1.600-1.800 |
| 05. | 231014 | 40 | 18 | 1.30 | 0.490 | 1.800-2.000 |
| 06. | 231110 | 60 | 19 | 0.89 | 0.520 | 1.900-2.200 |

 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

TOP BOTTOM SINGLE LEG



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 221508 | 38 | 14 | 0.55 | 0.147 | 0.500-0.550 |

TOP BOTTOM



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 191508 | 38 | 14 | 0.55 | 0.161 | 0.550-0.600 |


PREMIUM PROFILES


 WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

OPPOSITE TOP BOTTOM




| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|---------------|--------|--------|--------|-------------------|-----------------|
| 01. | 191508 | 38 | 14 | 0.55 | 0.161 | 0.550-0.650 |
| 02. | 191509 | 40 | 20 | 0.92 | 0.270 | 1.000-1.300 |
| 03. | 191510 | 40 | 20 | 1.16 | 0.355 | 1.300-1.400 |
| 04. | 191511 | 40 | 20 | 1.18 | 0.380 | 1.400-1.600 |
| 05. | 191512 | 40 | 20 | 1.50 | 0.460 | 1.700-2.000 |

CORNERED HANDLE



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 201509 | 40 | 20 | 0.72 | 0.273 | 1.000-1.300 |
| 02. | 201510 | 40 | 20 | 0.87 | 0.382 | 1.400-1.600 |
| 03. | 201511 | 40 | 20 | 1.00 | 0.464 | 1.700-2.000 |

CORNERED INTERLOCK



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/12' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 231509 | 40 | 20 | 0.75 | 0.313 | 1.000-1.400 |
| 02. | 231510 | 40 | 20 | 0.95 | 0.380 | 1.400-1.600 |
| 03. | 231511 | 40 | 20 | 1.15 | 0.490 | 1.800-2.100 |


 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD



Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| 2 TRACK TOP  | Sr. No. | Profile Code | Size (mm) | Weight/15' (KG) |
|---|---------|--------------|-----------|-----------------|
| | 01. | 181010 | 18 | 2.000-2.250 |
| | 02. | 181011 | 18 | 2.300-2.600 |
| | 03. | 181012 | 18 | 2.600-2.900 |
| | 04. | 181013 | 18 | 3.000-3.300 |
| | 05. | 181014 | 18 | 3.400-3.800 |
| | 06. | 181015 | 18 | 3.900-4.300 |

| 2 TRACK BOTTOM  | Sr. No. | Profile Code | Size (mm) | Weight/15' (KG) |
|--|---------|--------------|-------------|-----------------|
| | 01. | 182010 | 18 | 2.100-2.400 |
| | 02. | 182011 | 18 | 2.400-2.700 |
| | 03. | 182012 | 18 | 2.700-3.000 |
| | 04. | 182013 | 18 | 3.000-3.300 |
| | 05. | 182014 | 18 | 3.400-3.700 |
| | 06. | 182015 | 18 | 3.800-4.000 |
| 07. | 182016 | 18 | 4.000-4.300 | |

| GROVED 2 TRACK TOP  | Sr. No. | Profile Code | Size (mm) | Weight/16' (KG) |
|---|---------|--------------|-------------|-----------------|
| | 01. | 181210 | 18 | 1.900-2.200 |
| | 02. | 181211 | 18 | 2.350-2.500 |
| | 03. | 181212 | 18 | 2.500-2.800 |
| | 04. | 181213 | 18 | 2.900-3.000 |
| | 05. | 181214 | 18 | 3.100-3.400 |
| | 06. | 181215 | 18 | 3.500-3.800 |
| | 07. | 181216 | 18 | 3.900-4.200 |
| | 08. | 181217 | 18 | 4.200-4.500 |
| 09. | 181218 | 18 | 4.500-5.000 | |


| GROVED 2 TRACK BOTTOM  | Sr. No. | Profile Code | Size (mm) | Weight/16' (KG) |
|---|---------|--------------|-------------|-----------------|
| | 01. | 181910 | 18 | 2.300-2.600 |
| | 02. | 181911 | 18 | 2.600-2.900 |
| | 03. | 181912 | 18 | 3.000-3.400 |
| | 04. | 181913 | 18 | 3.500-3.900 |
| | 05. | 181914 | 18 | 4.000-4.400 |
| 06. | 181915 | 18 | 4.500-5.000 | |

| FRAMED 2 TRACK TOP  | FRAMED 2 TRACK BOTTOM  |
|--|--|
|--|--|

| | | | |
|--|--|--|--|
| Profile Code - 181110 Weight/15' (KG)-4.000-4.300 | Profile Code - 181111 Weight/15' (KG)-4.300-4.600 | Profile Code - 182110 Weight/15' (KG)-4.200-4.500 | Profile Code - 182111 Weight/15' (KG)-4.500-4.800 |
|--|--|--|--|


| | | |
|---|-----------------------------|------------------------------|
|  PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/01/2026 |
|---|-----------------------------|------------------------------|

3 TRACK TOP




| Sr. No. | Profile Code | Size (mm) | Weight/15' (KG) |
|---------|--------------|-----------|-----------------|
| 01. | 183010 | 20 | 3.000-3.300 |
| 02. | 183011 | 20 | 3.400-3.700 |
| 03. | 183012 | 20 | 3.800-4.000 |
| 04. | 183013 | 20 | 4.000-4.400 |
| 05. | 183014 | 20 | 4.500-5.000 |
| 06. | 183015 | 20 | 5.000-5.500 |
| 07. | 183016 | 20 | 5.550-6.000 |
| 08. | 183017 | 20 | 6.100-6.500 |

3 TRACK BOTTOM




| Sr. No. | Profile Code | Size (mm) | Weight/15' (KG) |
|---------|--------------|-----------|-----------------|
| 01. | 184010 | 20 | 3.000-3.300 |
| 02. | 184011 | 20 | 3.400-3.600 |
| 03. | 184012 | 20 | 3.700-4.000 |
| 04. | 184013 | 20 | 4.000-4.400 |
| 05. | 184014 | 20 | 4.500-4.800 |
| 06. | 184015 | 20 | 5.000-5.500 |
| 07. | 184016 | 20 | 5.550-6.000 |

GROVED 3 TRACK TOP




| Sr. No. | Profile Code | Size (mm) | Weight/16' (KG) |
|---------|--------------|-----------|-----------------|
| 01. | 183210 | 20 | 3.200-3.500 |
| 02. | 183211 | 20 | 3.400-3.800 |
| 03. | 183212 | 20 | 3.900-4.300 |
| 04. | 183213 | 20 | 4.500-5.000 |
| 05. | 183214 | 20 | 5.000-5.500 |
| 06. | 183215 | 20 | 5.500-6.000 |
| 07. | 183216 | 20 | 6.100-6.400 |

GROVED 3 TRACK BOTTOM



| Sr. No. | Profile Code | Size (mm) | Weight/16' (KG) |
|---------|--------------|-----------|-----------------|
| 01. | 184210 | 20 | 3.000-3.400 |
| 02. | 184211 | 20 | 3.500-3.900 |
| 03. | 184212 | 20 | 4.000-4.400 |
| 04. | 184213 | 20 | 4.500-4.900 |
| 05. | 184214 | 20 | 5.000-5.500 |
| 06. | 184215 | 20 | 5.550-6.000 |
| 07. | 184216 | 20 | 6.050-6.500 |

FRAMED 3 TRACK TOP



| Sr. No. | Profile Code | Size (mm) | Weight/15' (KG) |
|---------|--------------|-----------|-----------------|
| 01. | 183110 | 20 | 4.800-5.100 |
| 02. | 183111 | 20 | 6.000-6.300 |









 **PREMIUM PROFILES**

WEIGHT TOLERANCE \pm 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|---|--|
|  <p>Dimensions: 25.4 (height), 1.4 (width), 50.7 (length)</p> |  <p>Dimensions: 25.4 (height), 1.4 (width), 50.7 (length)</p> |
| <p>Profile Code - 501010 Weight(KG)/M -0.680</p> | <p>Profile Code - 502010 Weight(KG)/M -0.900</p> |
|  <p>Dimensions: 1.25 (width), 68.7 (length), 25.4 (height)</p> |  <p>Dimensions: 19.5 (height), 36.9 (length), 0.71 (width)</p> |
| <p>Profile Code - 503010 Weight(KG)/M -0.740</p> | <p>Profile Code - 504010 Weight(KG)/M -1.080</p> |
|  <p>Dimensions: 32 (height), 87.5 (length), 1.4 (width)</p> |  <p>Dimensions: 32 (height), 132.8 (length), 1.6 (width)</p> |
| <p>Profile Code - 505010 Weight(KG)/M -1.17</p> | <p>Profile Code -506010 Weight(KG)/M -1.77</p> |
|  <p>Dimensions: 44.1 (height), 122 (length), 1.5 (width)</p> |  <p>Dimensions: 45 (height), 90 (length), 1 (width)</p> |
| <p>Profile Code -507010 Weight(KG)/M -1.40</p> | <p>Profile Code - 508010 Weight KG /M - 0.976</p> |







 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|--|--|
|  <p>43 107</p> |  <p>1 45 90</p> |
| <p>Profile Code - 366051 Weight KG /M - 1.694</p> | <p>Profile Code - 509010 Weight KG /M - 1.5</p> |
|  <p>49.2 1.2 101.85</p> |  <p>40 40</p> |
| <p>Profile Code - 361025 Weight KG /M - 1.56</p> | <p>Profile Code - 366015 Weight KG /M - 0.598</p> |
|  <p>40 40</p> |  <p>19.2 4.5 3.3</p> |
| <p>Profile Code - 366074 Weight KG /M - 0.572</p> | <p>Profile Code - 366105 Weight KG /M - 0.160</p> |
| | |









ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


| | | |
|--|--|-------------------------------------|
| <p style="text-align: center;">GLASS-Z</p>  | <p style="text-align: center;">SPL CLIP</p>  | |
| <p style="text-align: center;">Profile Code - 461010 Weight(KG)/M - 0.510</p> | <p style="text-align: center;">Profile Code -244010 Weight/12' (KG) - 0.260-0.290</p> | |
| <p style="text-align: center;">DOOR FRAME</p>  | <p style="text-align: center;">DOOR VERTICAL</p>  | |
| <p style="text-align: center;">Profile Code - 471010 Weight(KG)/M - 0.810</p> | <p style="text-align: center;">Profile Code - 472010 Weight(KG)/M - 0.980</p> | |
|  |  | |
| <p style="text-align: center;">Profile Code - 244020 Weight(KG)/M - 0.960</p> | <p style="text-align: center;">Profile Code - 244015 Weight(KG)/M - 0.130</p> | |
|  |  | |
| <p style="text-align: center;">Profile Code - 451010 Weight(KG)/M - 1.50</p> | <p style="text-align: center;">Profile Code - 452010 Weight(KG)/M - 1.10</p> | |
| <p> PREMIUM PROFILES</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |

GLAZING CLIP




| Sr. No. | Profile Code | T (mm) | Weight/12' (KG) |
|---------|--------------|--------|-----------------|
| 01. | 241009 | 0.41 | 0.190-0.210 |
| 02. | 241010 | 0.45 | 0.210-0.230 |
| 03. | 241011 | 0.48 | 0.230-0.250 |
| 04. | 241012 | 0.50 | 0.270-0.300 |
| 05. | 241013 | 0.54 | 0.300-0.330 |
| 06. | 241014 | 0.58 | 0.370-0.400 |

GLAZING PLATE




| Sr. No. | Profile Code | Weight/12' (KG) |
|---------|--------------|-----------------|
| 01. | 242010 | 0.450-0.500 |
| 02. | 242011 | 0.500-0.550 |
| 03. | 242012 | 0.550-0.600 |

SQUARE CLIP



Profile Code - 243011
Weight/12' (KG) - 0.400-0.550



Profile Code - 243015
Weight/12' (KG) - 0.657


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) |
|---------|--------------|--------|--------|--------|-------------------|
| 01. | 411014 | 41.5 | 41.5 | 3.4 | 0.580 |
| 02. | 411009 | 41.5 | 41.5 | 3.8 | 0.660 |
| 03. | 411015 | 41.5 | 41.5 | 4.2 | 0.740 |
| 04. | 411013 | 41.5 | 41.5 | 4.4 | 0.780 |
| 05. | 411011 | 41.5 | 41.5 | 4.5 | 0.800 |
| 06. | 411010 | 41.5 | 41.5 | 5.0 | 0.898 |
| 07. | 411012 | 41.5 | 41.5 | 6.5 | 1.183 |




Profile Code - 421010
Weight KG /M - 0.250




Profile Code - 421050
Weight KG /M - 1.160




Profile Code - 321215
Weight KG /M - 2.200



Profile Code - 481012
Weight KG /M - 0.735



Profile Code - 481013
Weight KG /M - 0.788



Profile Code - 411017
Weight KG /M - 0.712

 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

3 TRACK DOMAL




| Sr. No. | Profile Code | Weight/12' (KG) |
|---------|--------------|-----------------|
| 01. | 361010 | 4.000-4.400 |
| 02. | 361011 | 4.400-4.800 |
| 03. | 361012 | 4.800-5.200 |
| 04. | 361013 | 5.200-5.600 |
| 05. | 361014 | 5.600-6.000 |


2 TRACK DOMAL



| Sr. No. | Profile Code | Weight/15' (KG) |
|---------|--------------|-----------------|
| 01. | 362010 | 3.000-3.300 |
| 02. | 362011 | 3.300-3.700 |




Profile Code - 361030
Weight(KG)/M - 1.60




Profile Code - 511010
Weight(KG)/M - 1.650

FIX 2 TRACK



Profile Code - 362020
Weight(KG)/M - 1.10

FIX 2 TRACK



Profile Code - 361040
Weight(KG)/M - 0.775









 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: 08477897789 | 09415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|---|---|
|  <p>42.8 85.2</p> |  <p>46.9 53.7 1.5</p> |
| <p>Profile Code - 361020 Weight(KG)/M - 1.149</p> | <p>Profile Code - 512010 Weight(KG)/M - 1.20</p> |
|  <p>1.1 45.2 100.3</p> |  <p>62 1.1 45</p> |
| <p>Profile Code - 361023 Weight(KG)/M - 1.410</p> | <p>Profile Code - 362030 Weight(KG)/M - 0.960</p> |
|  <p>1.4 46 52</p> |  <p>60 1.08 1.23 27</p> |
| <p>Profile Code - 366010 Weight(KG)/M - 0.790</p> | <p>Profile Code - 363017 Weight(KG)/M - 0.730</p> |
|  <p>55 24.4 1.11</p> |  <p>65 1.2 27</p> |
| <p>Profile Code - 363009 Weight(KG)/M - 0.670</p> | <p>Profile Code - 363016 Weight(KG)/M - 0.714</p> |


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 363010
Weight (KG)/M - 0.850

27MM SUTTER



Profile Code - 363012
Weight (KG) /M- 0.900




Profile Code - 363014
Weight/12' (KG) - 2.800-3.100




Profile Code - 364014
Weight (KG)/M - 0.360

I/L PATTI



Profile Code - 364010
Weight (KG)/M - 0.280



Profile Code - 364012
Weight (KG)/M -0.310



Profile Code - 244017
Weight (KG)/M - 0.078



Profile Code - 363015
Weight (KG)/M -0.691


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 363044
Weight (KG) /M- 0.752




Profile Code - 363045
Weight (KG) /M- 0.155




Profile Code - 366079
Weight (KG) /M- 0.221




Profile Code - 366080
Weight (KG) /M- 0.614



Profile Code - 366106
Weight (KG) /M- 0.146



Profile Code - 366111
Weight (KG) /M- 0.769



Profile Code - 366112
Weight (KG) /M- 1.414







 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|--|--|
|  <p>Dimensions: 27 (height), 65 (width), 1.35 (flange thickness)</p> |  <p>Dimensions: 27 (height), 65 (width), 1.35 (flange thickness)</p> |
| <p>Profile Code - 366049 Weight(KG)/M - 0.766</p> | <p>Profile Code - 366050 Weight KG /M - 0.814</p> |
|  <p>Dimensions: 43 (height), 107 (width), 1.35 (flange thickness)</p> |  <p>Dimensions: 9.9 (width), 17.3 (height)</p> |
| <p>Profile Code - 366051 Weight KG /M - 1.694</p> | <p>Profile Code - 366052 Weight KG /M - 0.176</p> |
|  <p>Dimensions: 55 (height), 71.5 (width)</p> |  <p>Dimensions: 55 (height), 107 (width)</p> |
| <p>Profile Code - 366107 Weight KG /M - 1.068</p> | <p>Profile Code - 366108 Weight KG /M - 1.494</p> |
| | |



PREMIUM PROFILES

 WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 366063
Weight KG /M - 0.121



Profile Code - 363030
Weight KG /M - 0.151



Profile Code - 366062
Weight KG /M - 0.173











 **PREMIUM PROFILES**









WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | | |
|--|--|-------------------------------------|
|  <p>30 67.4 1.35</p> |  <p>30 67.4 1.5</p> | |
| <p>Profile Code - 363018 Weight KG /M - 0.932</p> | <p>Profile Code - 363019 Weight KG /M - 0.938</p> | |
|  <p>35 65 1.45</p> |  <p>35 65 1.45</p> | |
| <p>Profile Code - 363020 Weight KG /M - 1.035</p> | <p>Profile Code - 363021 Weight KG /M - 0.970</p> | |
| <p>MATTING</p>  <p>21.9 28.6 1.2</p> | <p>CENTER SGU</p>  <p>30 37.7 1.3</p> | |
| <p>Profile Code - 363022 Weight KG /M - 0.262</p> | <p>Profile Code - 363023 Weight KG /M - 0.704</p> | |
| <p>CENTER SGU</p>  <p>35 37.67 1.3</p> | <p>MATTING</p>  <p>21.9 35 1.4</p> | |
| <p>Profile Code - 363024 Weight KG /M - 0.820</p> | <p>Profile Code - 363025 Weight KG /M - 0.294</p> | |
| <p> PREMIUM PROFILES</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |

| | |
|--|---|
| <p align="center">SS RAIL ADAPTOR</p>  | <p align="center">WIRE MESH ADAPTOR</p>  |
| <p align="center">Profile Code - 363026 Weight KG /M - 0.106</p> | <p align="center">Profile Code - 363027 Weight KG /M - 0.384</p> |
| <p align="center">WIRE MESH ADAPTOR</p>  | <p align="center">BOTTOM RAIL V GROOVE</p>  |
| <p align="center">Profile Code - 363028 Weight KG /M - 0.300</p> | <p align="center">Profile Code - 363030 Weight KG /M - 0.151</p> |
|  | <p align="center">BOTTOM RAIL U GROOVE</p>  |
| <p align="center">Profile Code - 363031 Weight KG /M - 0.104</p> | <p align="center">Profile Code - 363032 Weight KG /M - 0.186</p> |
| <p align="center">INTERLOCK CLIP</p>  |  |
| <p align="center">Profile Code - 363033 Weight KG /M - 0.309</p> | <p align="center">Profile Code - 363035 Weight KG /M - 0.401</p> |

 **PREMIUM PROFILES**









WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | | |
|---|---|---|
| | | |
| <p>Profile Code - 363036 Weight KG /M - 1.56</p> | <p>Profile Code - 363037 Weight KG /M - 1.488</p> | |
| | <p>Slim I/L SGU</p> | |
| <p>Profile Code - 363034 Weight KG /M - 0.726</p> | <p>Profile Code - 364050 Weight KG /M - 0.692</p> | |
| <p>Slim I/L DGU</p> | | |
| <p>Profile Code - 364051 Weight KG /M - 0.635</p> | <p>Profile Code - 366082 Weight KG /M - 0.765</p> | |
| <p>KPA I/L DGU</p> | <p>KPA I/L SGU</p> | <p>INTERLOCK CLIP</p> |
| <p>Profile Code - 364053 Weight KG /M - 1.40</p> | <p>Profile Code - 364052 Weight KG /M - 1.46</p> | <p>Profile Code - 364014 Weight KG /M - 0.360</p> |
| <p> PREMIUM PROFILES</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |

| | |
|---|--|
|  |  |
| <p>Profile Code - 366059 Weight KG /M - 0.595</p> | <p>Profile Code - 366060 Weight KG /M - 0.425</p> |
|  |  |
| <p>Profile Code - 366061 Weight KG /M - 0.292</p> | <p>Profile Code - 366064 Weight KG /M - 0.594</p> |
|  |  |
| <p>Profile Code - 366065 Weight KG /M - 0.875</p> | <p>Profile Code - 366066 Weight KG /M - 0.146</p> |
|  |  |
| <p>Profile Code - 366067 Weight KG /M - 0.905</p> | <p>Profile Code - 366068 Weight KG /M - 1.537</p> |


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 366075
Weight KG /M - 0.901




Profile Code - 366076
Weight KG /M - 1.449



Profile Code - 366062
Weight KG /M - 0.173



Profile Code - 366063
Weight KG /M - 0.121



SEC. NO. 363023
WEIGHT - 0.704 Kg/M

ALL DIMENSIONS ARE IN MM


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026



SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

HOLLOW-Z WITHOUT LEG




HOLLOW-Z



| Sr. No. | Profile Code | Weight/12' (KG) | Sr. No. | Profile Code | Weight/12' (KG) |
|---------|--------------|-----------------|---------|--------------|-----------------|
| 01. | 251002 | 2.000-2.300 | 01. | 251010 | 2.000-2.300 |
| 02. | 251003 | 2.300-2.600 | 02. | 251011 | 2.300-2.600 |


Profile Code - 254015
Weight(KG)/M - 0.600

INNER - Z




| Sr. No. | Profile Code | Weight/12' (KG) |
|---------|--------------|-----------------|
| 01. | 252010 | 1.250-1.500 |
| 02. | 252011 | 1.500-1.750 |
| 03. | 252012 | 2.500-2.700 |

CASEMENT-Z




| Sr. No. | Profile Code | Weight/12' (KG) |
|---------|--------------|-----------------|
| 01. | 253010 | 3.000-3.400 |
| 02. | 253011 | 3.400-3.800 |

LAME - Z




| Sr. No. | Profile Code | Weight/12' (KG) |
|---------|--------------|-----------------|
| 01. | 254010 | 1.800-2.000 |
| 02. | 254011 | 2.000-2.200 |

MULLION




| Sr. No. | Profile Code | Weight/12' (KG) |
|---------|--------------|-----------------|
| 01. | 255010 | 2.700-3.000 |
| 02. | 255011 | 3.000-3.300 |

MULLION WITH GROVES



| Sr. No. | Profile Code | Weight/12' (KG) |
|---------|--------------|-----------------|
| 01. | 256010 | 2.700-3.000 |
| 02. | 256011 | 3.000-3.300 |
| 03. | 256012 | 2.500-2.700 |

OUTER - Z



| Sr. No. | Profile Code | Weight/12' (KG) |
|---------|--------------|-----------------|
| 01. | 257010 | 1.400-1.600 |
| 02. | 257011 | 1.600-1.800 |
| 03. | 257012 | 1.800-2.000 |
| 04. | 257013 | 2.000-2.300 |


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 366063
Weight KG /M - 0.121




Profile Code - 366062
Weight KG /M - 0.173




Profile Code - 366069
Weight KG /M - 1.321




Profile Code - 366070
Weight KG /M - 0.760




Profile Code - 366071
Weight KG /M - 1.345



Profile Code - 366072
Weight KG /M - 1.126



Profile Code - 366083
Weight KG /M - 1.007



Profile Code - 366095
Weight KG /M - 0.410


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



Profile Code - 366093
Weight KG /M - 2.207



Profile Code - 366094
Weight KG /M - 1.501











 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


| | | |
|--|--|-------------------------------------|
|  <p>Dimensions: 25.9, 1.2, 17.65, 32,36</p> | <p>LAME - Z</p>  <p>Dimensions: 55, 1.3, 40</p> | |
| <p>Profile Code - 245010 Weight(KG)/M - 0.250</p> | <p>Profile Code - 366024 Weight KG /M - 0.670</p> | |
| <p>MULLION</p>  <p>Dimensions: 1.5, 40, 70</p> | <p>HOLLOW - Z</p>  <p>Dimensions: 1.4, 40, 56</p> | |
| <p>Profile Code - 366020 Weight KG /M - 0.830</p> | <p>Profile Code - 366022 Weight KG /M - 0.800</p> | |
| <p>OUTER - Z</p>  <p>Dimensions: 2, 40, 40</p> |  <p>Dimensions: 1.3, 40, 47</p> | |
| <p>Profile Code - 366040 Weight KG /M - 0.611</p> | <p>Profile Code - 366042 Weight KG /M - 0.572</p> | |
|  <p>Dimensions: 1.3, 40, 63</p> |  <p>Dimensions: 40, 40</p> | |
| <p>Profile Code - 366044 Weight KG /M - 0.796</p> | <p>Profile Code - 366015 Weight KG /M - 0.598</p> | |
| <p> PREMIUM PROFILES</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |




Profile Code - 366049
Weight(KG)/M - 0.766




Profile Code - 366050
Weight KG /M - 0.814




Profile Code - 366051
Weight KG /M - 1.694




Profile Code - 366052
Weight KG /M - 0.176



Profile Code - 366018
Weight KG /M - 0.709




SEC. NO. 245017
WEIGHT - 0.240 Kg/M




Profile Code - 366059
Weight KG /M - 0.595

40MM EXTENDED MULLION



SEC.NO. 363037
WEIGHT - 1.488 Kg/M

40MM EXTENDED OUTER



SEC.NO. 363036
WEIGHT - 1.56 Kg/M








PREMIUM PROFILES

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|--|---|
| <p style="text-align: center;">OUTER - Z</p>  | <p style="text-align: center;">MULLION</p>  |
| <p style="text-align: center;">Profile Code - 366012 Weight KG /M - 0.830</p> | <p style="text-align: center;">Profile Code - 366014 Weight KG /M - 1.00</p> |
| <p style="text-align: center;">SHUTTER</p>  | <p style="text-align: center;">CLIP</p>  |
| <p style="text-align: center;">Profile Code - 366016 Weight KG /M - 1.34</p> | <p style="text-align: center;">Profile Code - 245014 Weight KG /M - 0.285</p> |
| <p style="text-align: center;">FACADE LOUVERS</p>  | <p style="text-align: center;">FACADE LOUVERS</p>  |
| <p style="text-align: center;">Profile Code - 366001 Weight KG /M - 0.517</p> | <p style="text-align: center;">Profile Code - 366003 Weight KG /M - 0.333</p> |
| <p style="text-align: center;">FACADE LOUVERS</p>  | |
| <p style="text-align: center;">Profile Code - 366004 Weight KG /M - 0.126</p> | |


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 245012
Weight KG /M - 0.289




Profile code - 366030
Weight KG /M - 1.05



Profile Code - 366010
Weight KG /M - 0.789



Profile code - 366046
Weight KG /M - 0.694



Profile Code - 245017
Weight KG /M - 0.236


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



| Sr. No. | Profile Code | A (mm) | B (mm) | T (mm) | Weight./Mtr. (KG) | Weight/15' (KG) |
|---------|--------------|--------|--------|--------|-------------------|-----------------|
| 01. | 271010 | 38 | 38 | 1.20 | 0.536 | 2.300-2.600 |
| 02. | 271110 | 50 | 50 | 1.02 | 0.600 | 2.700-3.000 |
| 03. | 271111 | 50 | 50 | 1.20 | 0.692 | 3.000-3.300 |
| 04. | 271112 | 50 | 50 | 1.37 | 0.780 | 3.300-3.700 |
| 05. | 271113 | 50 | 50 | 1.44 | 0.814 | 3.700-4.100 |
| 06. | 271114 | 50 | 50 | 1.64 | 0.916 | 4.100-4.500 |
| 07. | 271115 | 50 | 50 | 1.77 | 0.982 | 4.500-5.000 |
| 08. | 271210 | 80 | 50 | 1.45 | 1.055 | 4.500-5.000 |
| 09. | 271211 | 80 | 50 | 1.75 | 1.255 | 5.500-6.000 |
| 10. | 271212 | 80 | 50 | 1.85 | 1.321 | 6.000-6.500 |
| 11. | 271213 | 80 | 50 | 2.00 | 1.420 | 6.500-7.000 |
| 12. | 271310 | 100 | 50 | 2.00 | 1.640 | 7.300-8.000 |
| 13. | 271311 | 100 | 50 | 2.20 | 1.800 | 8.000-8.800 |









 **PREMIUM PROFILES**

WEIGHT TOLERANCE \pm 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|---|--|
|  <p>Dimensions: 67.3 (height), 81.2 (width), 31.2 (flange width), 2.34 (flange thickness).</p> |  <p>Dimensions: 67.3 (height), 131.16 (width), 31.2 (flange width), 2.34 (flange thickness).</p> |
| <p>Profile Code - 272010 Weight KG /M - 1.80</p> | <p>Profile Code - 272020 Weight KG /M - 2.30</p> |
|  <p>Dimensions: 67.3 (height), 131.16 (width), 31.2 (flange width), 3 (flange thickness).</p> |  <p>Dimensions: 38.5 (height), 131.16 (width), 31.2 (flange width), 2.34 (flange thickness).</p> |
| <p>Profile Code - 272022 Weight KG /M - 3.00</p> | <p>Profile Code - 273010 Weight KG /M - 1.90</p> |
|  <p>Dimensions: 38.5 (height), 131.16 (width), 31.2 (flange width), 5 (flange thickness).</p> |  <p>Dimensions: 67.3 (height), 131.16 (width), 31.2 (flange width), 2.2 (flange thickness), 3.3 (flange offset).</p> |
| <p>Profile Code - 273014 Weight KG /M - 4.10</p> | <p>Profile Code - 272023 Weight KG /M - 2.51</p> |
|  <p>Dimensions: 50 (height), 91 (width), 100 (total width), 13 (flange width), 2 (flange thickness).</p> |  <p>Dimensions: 38 (height), 119.84 (width), 151 (total width), 31.20 (flange width), 2 (flange thickness).</p> |
| <p>Profile Code - 271312 Weight KG /M - 1.528</p> | <p>Profile Code - 273017 Weight KG /M - 2.078</p> |









 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|---|---|
|  <p>Dimensions: 134.84 (width), 67 (height), 166 (total width), 31.2 (flange width), 2 (wall thickness).</p> |  <p>Dimensions: 134.84 (width), 67 (height), 166 (total width), 31.2 (flange width), 3 (wall thickness).</p> |
| <p>Profile Code - 272024 Weight KG /M - 2.566</p> | <p>Profile Code - 272025 Weight KG /M - 3.602</p> |
|  <p>Dimensions: 134.84 (width), 67 (height), 166 (total width), 31.2 (flange width), 2 (wall thickness), 3 (inner wall thickness).</p> |  <p>Dimensions: 119.8 (width), 67 (height), 151 (total width), 31.2 (flange width), 2 (wall thickness).</p> |
| <p>Profile Code - 272026 Weight KG /M - 2.736</p> | <p>Profile Code - 272027 Weight KG /M - 2.561</p> |
|  <p>Dimensions: 169 (width), 67 (height), 200 (total width), 31 (flange width), 2.5 (wall thickness).</p> |  <p>Dimensions: 169 (width), 50 (height), 180 (total width), 11 (flange height), 2 (wall thickness).</p> |
| <p>Profile Code - 272028 Weight KG /M - 3.766</p> | <p>Profile Code - 272029 Weight KG /M - 2.610</p> |
|  <p>Dimensions: 180 (width), 50 (height), 196 (total width), 30 (flange width), 4 (wall thickness).</p> |  <p>Dimensions: 169 (width), 67 (height), 200 (total width), 31 (flange width), 4.5 (wall thickness), 2.5 (inner wall thickness).</p> |
| <p>Profile Code - 272030 Weight KG /M - 4.297</p> | <p>Profile Code - 272031 Weight KG /M - 4.101</p> |


 **PREMIUM PROFILES**

WEIGHT TOLERANCE \pm 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 272032
Weight KG /M - 3.272




Profile Code - 273015
Weight KG /M - 2.240




Profile Code - 273016
Weight KG /M - 3.119




Profile Code - 272033
Weight KG /M - 2.562




Profile Code - 272042
Weight KG /M - 1.335



Profile Code - 272043
Weight KG /M - 2.422



Profile Code - 272044
Weight KG /M - 3.600



Profile Code - 272045
Weight KG /M - 1.921









PREMIUM PROFILES

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|---|--|
|  |  |
| <p>Profile Code - 272046 Weight KG /M - 3.878</p> | <p>Profile Code - 272047 Weight KG /M - 5.447</p> |
|  |  |
| <p>Profile Code - 273016 Weight KG /M - 3.119</p> | <p>Profile Code - 542010 Weight KG /M - 0.830</p> |
|  |  |
| <p>Profile Code - 541010 Weight KG /M - 0.520</p> | <p>Profile Code - 541011 Weight KG /M - 0.683</p> |
|  |  |
| <p>Profile Code - 541012 Weight KG /M - 0.868</p> | <p>Profile Code - 541013 Weight KG /M - 0.614</p> |


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



Profile Code - 272038
Weight KG /M - 3.428



Profile Code - 272039
Weight KG /M - 3.877


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



Profile Code - 272040
Weight KG /M - 3.422



Profile Code - 272041
Weight KG /M - 3.711





 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|--|--|
|  |  |
| <p align="center">Profile Code - 366182 Weight KG /M - 0.331</p> | <p align="center">Profile Code - 366183 Weight KG /M - 0.470</p> |
|  |  |
| <p align="center">Profile Code - 366184 Weight KG /M - 0.252</p> | <p align="center">Profile Code - 366185 Weight KG /M - 0.286</p> |
| <p align="center" style="font-size: 48px; opacity: 0.3;">SATYA</p> | <p align="center" style="font-size: 48px; opacity: 0.3;">SATYA</p> |
| <p align="center" style="font-size: 48px; opacity: 0.3;">SATYA</p> | <p align="center" style="font-size: 48px; opacity: 0.3;">SATYA</p> |



PREMIUM PROFILES


WEIGHT TOLERANCE \pm 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

LADDER




| Sr. No. | Profile Code | Weight/20' (KG) |
|---------|--------------|-----------------|
| 01. | 351010 | 2.300-2.800 |
| 02. | 351011 | 2.800-3.300 |
| 03. | 351012 | 3.300-3.800 |
| 04. | 351013 | 3.800-4.300 |
| 05. | 351014 | 4.300-4.800 |
| 06. | 351015 | 4.800-5.300 |
| 07. | 351016 | 5.300-5.800 |
| 08. | 351017 | 5.800-6.300 |


STEP




| Sr. No. | Profile Code | Weight/12' (KG) |
|---------|--------------|-----------------|
| 01. | 352010 | 1.400-1.600 |
| 02. | 352011 | 1.600-1.900 |
| 03. | 352012 | 1.900-2.200 |




Profile Code - 353029
Weight KG /M - 0.269




Profile Code - 353028
Weight KG /M - 0.369



Profile Code - 353030
Weight KG /M - 0.521



Profile Code - 353031
Weight KG /M - 0.291



Profile Code - 353032
Weight KG /M - 0.216


PREMIUM PROFILES

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 353033
Weight KG /M - 0.439



Profile Code - 353034
Weight KG /M - 0.321



Profile Code - 335011
Weight(KG)/M - 0.464



Profile Code - 335012
Weight(KG)/M - 0.382

 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

TOWER BOLT




| Sr. No. | Profile Code | ID(mm) | Weight/12' (KG) |
|---------|--------------|--------|-----------------|
| 01. | 341010 | 11 | 0.600-0.650 |
| 02. | 341011 | 11.5 | 0.850-0.900 |
| 03. | 341012 | 12.5 | 1.200-1.300 |

HINGES



| Sr. No. | Profile Code | Size(mm) | Weight/12' (KG) |
|---------|--------------|----------|-----------------|
| 01. | 341110 | 32 | 0.750-0.780 |


C - HANDLE




Profile Code - 341210
Weight/12' (KG) - 4.500-4.800

27 MM SLIDING SERIES


HEXAGONS TUBES




Profile Code - 332020
Weight KG /M - 1.18



Profile Code - 332022
Weight KG /M - 0.880



Profile Code - 332024
Weight KG /M - 1.65



Profile Code - 363040
Weight/12' (KG)-5.550-5.650



 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026



SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com





Profile Code - 447010
Weight KG /M - 1.00

Profile Code - 481010
Weight KG /M - 1.30

PHOTO FRAME

PLANE SAMOSA




Profile Code - 431010
Weight/12' (KG) - 0.350-0.450

Profile Code - 403010
Weight/12' (KG) - 6.000-6.500

SAMOSA


Profile Code - 404010
Weight/12' (KG) - 3.300-3.800

Profile Code - 404014
Weight (KG)/M - 0.062



Profile Code - 422010
Weight KG /M - 0.180

Profile Code - 481011
Weight (KG)/M - 0.541









 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|---|---|
|  |  |
| <p align="center">Profile Code - 431011 Weight (KG)/M - 1.668</p> | <p align="center">Profile Code - 431012 Weight (KG)/M - 1.291</p> |
|  |  |
| <p align="center">Profile Code - 431013 Weight (KG)/M - 0.791</p> | <p align="center">Profile Code - 431014 Weight (KG)/M - 0.158</p> |
|  |  |
| <p align="center">Profile Code - 431015 Weight (KG)/M - 0.355</p> | <p align="center">Profile Code - 431016 Weight (KG)/M - 0.280</p> |
|  |  |
| <p align="center">Profile Code - 431017 Weight (KG)/M - 0.787</p> | <p align="center">Profile Code - 431018 Weight (KG)/M - 0.721</p> |









 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026









SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | | |
|--|--|--|
|  |  | |
| <p align="center">Profile Code - 431019 Weight (KG)/M - 1.052</p> | <p align="center">Profile Code - 431020 Weight (KG)/M - 1.052</p> | |
|  |  | |
| <p align="center">Profile Code - 431021 Weight (KG)/M - 0.264</p> | <p align="center">Profile Code - 431022 Weight (KG)/M - 0.214</p> | |
|  |  | |
| <p align="center">Profile Code - 431023 Weight (KG)/M - 0.828</p> | <p align="center">Profile Code - 431024 Weight (KG)/M - 0.327</p> | |
|  |  | |
| <p align="center">Profile Code - 431025 Weight (KG)/M - 0.146</p> | <p align="center">Profile Code - 431026 Weight (KG)/M - 0.212</p> | |
| <p> PREMIUM PROFILES</p> | <p align="center">WEIGHT TOLERANCE ± 7 TO 10%</p> | <p align="center">REVISED ON DATE - 01/01/2026</p> |

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|---|--|
|  |  |
| <p align="center">Profile Code - 431027 Weight (KG)/M - 0.335</p> | <p align="center">Profile Code - 431028 Weight (KG)/M - 0.198</p> |
|  |  |
| <p align="center">Profile Code - 431029 Weight (KG)/M - 0.186</p> | <p align="center">Profile Code - 431030 Weight (KG)/M - 0.822</p> |
|  |  |
| <p align="center">Profile Code - 431031 Weight (KG)/M - 0.209</p> | <p align="center">Profile Code - 431032 Weight (KG)/M - 0.280</p> |
|  |  |
| <p align="center">Profile Code - 431033 Weight (KG)/M - 0.762</p> | <p align="center">Profile Code - 431034 Weight (KG)/M - 1.352</p> |









 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|---|--|
|  |  |
| <p>Profile Code - 431035 Weight (KG)/M - 0.321</p> | <p>Profile Code - 431036 Weight (KG)/M - 0.389</p> |
|  |  |
| <p>Profile Code - 431037 Weight (KG)/M - 0.341</p> | <p>Profile Code - 431038 Weight (KG)/M - 0.136</p> |
|  |  |
| <p>Profile Code - 431039 Weight (KG)/M - 0.924</p> | <p>Profile Code - 431040 Weight (KG)/M - 1.016</p> |
|  |  |
| <p>Profile Code - 431041 Weight (KG)/M - 0.219</p> | <p>Profile Code - 431042 Weight (KG)/M - 0.847</p> |


 **PREMIUM PROFILES**

 WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 431043
Weight (KG)/M - 0.644




Profile Code - 431044
Weight (KG)/M - 0.210




Profile Code - 431045
Weight (KG)/M - 1.052




Profile Code - 431046
Weight (KG)/M - 0.529




Profile Code - 431047
Weight (KG)/M - 0.279



Profile Code - 431048
Weight (KG)/M - 0.445



Profile Code - 431049
Weight (KG)/M - 1.887



Profile Code - 431054
Weight (KG)/M - 0.106


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



Profile Code - 431055
Weight (KG)/M - 0.548



Profile Code - 431056
Weight (KG)/M - 0.884



Profile Code - 431057
Weight (KG)/M - 0.463


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 366159
Weight (KG)/M - 1.377




Profile Code - 366160
Weight (KG)/M - 0.859




Profile Code - 366161
Weight (KG)/M - 1.428




Profile Code - 366162
Weight (KG)/M - 1.872




Profile Code - 366163
Weight (KG)/M - 0.932



Profile Code - 366164
Weight (KG)/M - 0.778



Profile Code - 366165
Weight (KG)/M - 1.181



Profile Code - 366166
Weight (KG)/M - 0.766







 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|--|--|
|  <p>Dimensions: 40, 15, 8.6, 1.2, 111</p> |  <p>Dimensions: 45, 5.6, 1</p> |
| <p>Profile Code - 366176 Weight (KG)/M - 1.757</p> | <p>Profile Code - 366177 Weight (KG)/M - 0.155</p> |
|  <p>Dimensions: 20, 1, 20</p> |  <p>Dimensions: 25, 4.9, 17.4, 1</p> |
| <p>Profile Code - 366178 Weight (KG)/M - 0.144</p> | <p>Profile Code - 366179 Weight (KG)/M - 0.097</p> |
|  <p>Dimensions: 25, 3, 2.2</p> |  <p>Dimensions: 8.6, 15.2, 1.5, 15</p> |
| <p>Profile Code - 366180 Weight (KG)/M - 0.161</p> | <p>Profile Code - 366181 Weight (KG)/M - 0.202</p> |
| | |
| | |









 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


| | | |
|--|---|------------------------------|
|  <p>Profile Code - 366191 Weight (KG)/M - 1.556</p> |  <p>Profile Code - 366192 Weight (KG)/M - 2.244</p> | |
|  <p>Profile Code - 366193 Weight (KG)/M - 0.353</p> |  <p>Profile Code - 366194 Weight (KG)/M - 0.947</p> | |
|  <p>Profile Code - 366195 Weight (KG)/M - 1.257</p> |  <p>Profile Code - 366196 Weight (KG)/M - 2.244</p> | |
|  <p>Profile Code - 366197 Weight (KG)/M - 0.286</p> |  <p>Profile Code - 366198 Weight (KG)/M - 0.361</p> | |
|  PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/01/2026 |

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 366601
Weight (KG)/M - 0.558




Profile Code - 366602
Weight (KG)/M - 0.791




Profile Code - 366603
Weight (KG)/M - 0.114




Profile Code - 366604
Weight (KG)/M - 2.194



Profile Code - 366605
Weight (KG)/M - 3.471



Profile Code - 366606
Weight (KG)/M - 0.487



Profile Code - 366607
Weight (KG)/M - 0.635









 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


| | | |
|---|--|-------------------------------------|
|  <p>Dimensions: 86 (width), 27.5 (height), 1.4 (thickness)</p> |  <p>Dimensions: 56 (width), 29 (height), 1.3 (thickness)</p> | |
| <p>Profile Code - 366608 Weight (KG)/M - 1.282</p> | <p>Profile Code - 366609 Weight (KG)/M - 0.622</p> | |
|  <p>Dimensions: 25 (width), 29 (height), 60 (width), 1.3 (thickness)</p> |  <p>Dimensions: 65 (width), 31.5 (height), 1.4 (thickness)</p> | |
| <p>Profile Code - 366610 Weight (KG)/M - 0.650</p> | <p>Profile Code - 366611 Weight (KG)/M - 0.915</p> | |
|  <p>Dimensions: 11.01 (width), 21.84 (height), 19.3 (width), 1.2 (thickness)</p> |  <p>Dimensions: 100 (width), 23.35 (height), 1.5 (thickness)</p> | |
| <p>Profile Code - 366612 Weight (KG)/M - 0.172</p> | <p>Profile Code - 366613 Weight (KG)/M - 1.054</p> | |
|  <p>Dimensions: 77 (width), 29 (height), 1.3 (thickness)</p> |  <p>Dimensions: 20 (width), 6 (height)</p> | |
| <p>Profile Code - 366614 Weight (KG)/M - 0.790</p> | <p>Profile Code - 366615 Weight (KG)/M - 0.260</p> | |
| <p> PREMIUM PROFILES</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |




Profile Code - 366616
Weight (KG)/M - 0.997




Profile Code - 366617
Weight (KG)/M - 0.609




Profile Code - 366618
Weight (KG)/M - 0.484




Profile Code - 366619
Weight (KG)/M - 0.189




Profile Code - 366620
Weight (KG)/M - 1.551



Profile Code - 366621
Weight (KG)/M - 2.225



Profile Code - 366622
Weight (KG)/M - 2.150



Profile Code - 366623
Weight (KG)/M - 1.472









 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|---|--|
|  |  |
| <p>Profile Code - 366081 Weight (KG)/M - 0.0875</p> | <p>Profile Code - 452011 Weight (KG)/M - 0.695</p> |
|  |  |
| <p>Profile Code - 452012 Weight (KG)/M - 0.104</p> | <p>Profile Code - 452014 Weight (KG)/M - 0.343</p> |
|  |  |
| <p>Profile Code - 452015 Weight (KG)/M - 0.346</p> | <p>Profile Code - 452016 Weight (KG)/M - 0.413</p> |
|  |  |
| <p>Profile Code - 366086 Weight (KG)/M - 0.368</p> | <p>Profile Code - 366087 Weight (KG)/M - 0.386</p> |


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 366090
Weight (KG)/M - 0.470




Profile Code - 366091
Weight (KG)/M - 0.516




Profile Code - 366096
Weight (KG)/M - 0.321




Profile Code - 366101
Weight (KG)/M - 0.420




Profile Code - 366084
Weight (KG)/M - 0.381



Profile Code - 366085
Weight (KG)/M - 0.377



Profile Code - 366110
Weight (KG)/M - 0.452



Profile Code - 366077
Weight KG /M - 0.380





 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%








REVISED ON DATE - 01/01/2026









SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | |
|---|---|
|  |  |
| <p align="center">Profile Code - 366078 Weight KG /M - 0.251</p> | <p align="center">Profile Code - 366102 Weight (KG)/M - 0.604</p> |
|  |  |
| <p align="center">Profile Code - 366104 Weight (KG)/M - 1.165</p> | <p align="center">Profile Code - 366103 Weight (KG)/M - 0.993</p> |
| <p align="center" style="font-size: 48px; opacity: 0.2;">SATYA</p> | <p align="center" style="font-size: 48px; opacity: 0.2;">SATYA</p> |
| | |
| | |


| | | |
|---|------------------------------------|-------------------------------------|
|  PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/01/2026 |
|---|------------------------------------|-------------------------------------|

| | | |
|---|--|-------------------------------------|
|  |  | |
| <p>Profile Code - IS00228 Weight KG /M - 2.474</p> | <p>Profile Code - IS00229 Weight KG /M - 1.419</p> | |
|  |  | |
| <p>Profile Code - IS00230 Weight KG /M - 1.849</p> | <p>Profile Code - IS00231 Weight KG /M - 0.972</p> | |
|  |  | |
| <p>Profile Code - 366174 Weight KG /M - 0.594</p> | <p>Profile Code - 366175 Weight KG /M - 0.923</p> | |
|  | | |
| <p>Profile Code - 366212 Weight KG /M - 2.628</p> | | |
| <p>ALL DIMENSIONS ARE IN MM</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |


| | | |
|---|--|-------------------------------------|
|  |  | |
| <p>Profile Code - 366113 Weight KG /M - 0.789</p> | <p>Profile Code - 366114 Weight KG /M - 0.328</p> | |
|  |  | |
| <p>Profile Code - 366115 Weight KG /M - 0.459</p> | <p>Profile Code - 366116 Weight KG /M - 0.166</p> | |
|  |  | |
| <p>Profile Code - 366117 Weight KG /M - 0.752</p> | <p>Profile Code - 366118 Weight KG /M - 0.547</p> | |
|  |  | |
| <p>Profile Code - 366119 Weight KG /M - 0.139</p> | <p>Profile Code - 366120 Weight KG /M - 0.099</p> | |
| <p>ALL DIMENSIONS ARE IN MM</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 366121
Weight KG /M - 1.109




Profile Code - 366122
Weight KG /M - 0.555




Profile Code - 366123
Weight KG /M - 0.209




Profile Code - 366130
Weight KG /M - 0.615




Profile Code - 366131
Weight KG /M - 0.859



Profile Code - 366132
Weight KG /M - 0.479



Profile Code - 366133
Weight KG /M - 0.611



Profile Code - 366134
Weight KG /M - 0.815


ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 366186
Weight (KG)/M - 0.214



Profile Code - 366187
Weight (KG)/M - 0.854



Profile Code - 366188
Weight (KG)/M - 0.435



Profile Code - 366189
Weight (KG)/M - 0.574


ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 366135
Weight KG /M - 0.897




Profile Code - 366136
Weight KG /M - 0.168




Profile Code - 366137
Weight KG /M - 1.026




Profile Code - 366138
Weight KG /M - 0.355




Profile Code - 366139
Weight KG /M - 0.822



Profile Code - 366140
Weight KG /M - 0.098



Profile Code - 366141
Weight KG /M - 0.105



Profile Code - 366142
Weight KG /M - 0.526









ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


| | | |
|---|--|-------------------------------------|
|  |  | |
| <p>Profile Code - 366143 Weight KG /M - 0.189</p> | <p>Profile Code - 366144 Weight KG /M - 1.273</p> | |
|  |  | |
| <p>Profile Code - 366145 Weight KG /M - 0.292</p> | <p>Profile Code - 366146 Weight KG /M - 0.254</p> | |
|  |  | |
| <p>Profile Code - 366147 Weight KG /M - 0.205</p> | <p>Profile Code - 366148 Weight KG /M - 0.483</p> | |
|  |  | |
| <p>Profile Code - 366149 Weight KG /M - 0.212</p> | <p>Profile Code - 366150 Weight KG /M - 0.752</p> | |
| <p>ALL DIMENSIONS ARE IN MM</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Profile Code - 366151
Weight KG /M - 0.736




Profile Code - 366152
Weight KG /M - 0.0089




Profile Code - 366153
Weight KG /M - 0.828




Profile Code - 366154
Weight KG /M - 0.762




Profile Code - 366155
Weight KG /M - 0.358



Profile Code - 366156
Weight KG /M - 1.122



Profile Code - 366157
Weight KG /M - 1.739



Profile Code - 366158
Weight KG /M - 0.222









ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026






SATYA METAL INDUSTRIES PVT.LTD









Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | | |
|---|--|-------------------------------------|
|  |  | |
| <p>Profile Code - 366201 Weight KG /M - 0.558</p> | <p>Profile Code - 366202 Weight KG /M - 0.322</p> | |
|  |  | |
| <p>Profile Code - 366203 Weight KG /M - 2.747</p> | <p>Profile Code - 366204 Weight KG /M - 5.268</p> | |
|  |  | |
| <p>Profile Code - 366205 Weight KG /M - 1.513</p> | <p>Profile Code - 366206 Weight KG /M - 0.616</p> | |
|  |  | |
| <p>Profile Code - 366207 Weight KG /M - 1.078</p> | <p>Profile Code - 366208 Weight KG /M - 1.980</p> | |
| <p>ALL DIMENSIONS ARE IN MM</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |

SATYA METAL INDUSTRIES PVT.LTD









Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


| | | |
|---|---|-------------------------------------|
|  |  | |
| <p>Profile Code - 366209 Weight KG /M - 0.512</p> | <p>Profile Code - 366210 Weight KG /M - 0.764</p> | |
|  |  | |
| <p>Profile Code - 366211 Weight KG /M - 2.309</p> | <p>Profile Code - 366214 Weight KG /M - 5.274</p> | |
|  | | |
| <p>Profile Code - 366213 Weight KG /M - 3.160</p> | | |
| | | |
| <p>ALL DIMENSIONS ARE IN MM</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |

| | | |
|---|--|-------------------------------------|
|  |  | |
| <p>Profile Code - 3663003 Weight KG /M - 4.080</p> | <p>Profile Code - 3663006 Weight KG /M - 9.275</p> | |
|  |  | |
| <p>Profile Code - 3663008 Weight KG /M - 14.644</p> | <p>Profile Code - 3663004 Weight KG /M - 7.766</p> | |
|  |  | |
| <p>Profile Code - 3663005 Weight KG /M - 10.428</p> | <p>Profile Code - 3663021 Weight KG /M - 9.420</p> | |
|  |  | |
| <p>Profile Code - 3663001 Weight KG /M - 2.723</p> | <p>Profile Code - 3663001 Weight KG /M - 0.511</p> | |
| <p>ALL DIMENSIONS ARE IN MM</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

| | | |
|--|---|-------------------------------------|
|  <p>Dimensions: 22.4 (height), 26 (width), 7 (flange width), 1 (thickness)</p> |  <p>Dimensions: 24 (height), 60 (width), 1 (thickness)</p> | |
| <p>Profile Code - 366401 Weight KG /M - 0.318</p> | <p>Profile Code - 366402 Weight KG /M - 0.526</p> | |
|  <p>Dimensions: 35 (height), 26 (width), 21.4 (flange width), 1 (thickness)</p> |  <p>Dimensions: 25.5 (height), 26 (width), 21.4 (flange width), 1 (thickness)</p> | |
| <p>Profile Code - 366403 Weight KG /M - 0.358</p> | <p>Profile Code - 366404 Weight KG /M - 0.307</p> | |
|  <p>Dimensions: 22 (height), 26 (width), 7 (flange width), 1 (thickness)</p> |  <p>Dimensions: 45 (height), 26 (width), 22.4 (flange width), 0.9 (thickness)</p> | |
| <p>Profile Code - 366405 Weight KG /M - 0.306</p> | <p>Profile Code - 366406 Weight KG /M - 0.350</p> | |
|  <p>Dimensions: 25 (height), 26 (width), 21.4 (flange width), 1 (thickness)</p> |  <p>Dimensions: 22 (height), 26.5 (width), 7 (flange width), 1 (thickness)</p> | |
| <p>Profile Code - 366407 Weight KG /M - 0.282</p> | <p>Profile Code - 366408 Weight KG /M - 0.314</p> | |
| <p>ALL DIMENSIONS ARE IN MM</p> | <p>WEIGHT TOLERANCE ± 7 TO 10%</p> | <p>REVISED ON DATE - 01/01/2026</p> |




Profile Code - 366409
Weight KG /M - 0.415




Profile Code - 366410
Weight KG /M - 0.339

LIGHTING PROFILES




Profile Code - 366168
Weight KG /M - 1.477




Profile Code - 366169
Weight KG /M - 0.424

AC GRILL PROFILES



Profile Code - 404015
Weight KG /M - 0.101



Profile Code - 404016
Weight KG /M - 0.063

ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com